

GUITAR STRAPS
GSA30 SERIES / 5 COLOR OPTIONS
(PAGE 29)



MOST POPULAR

CLASSIC GUITAR STAND
XCG-4

Height Adjustment: 19.25"–24"
Padding: EVA rubber
Tubing: 17 mm / 22 mm
Color: Black
Leg Housing: Sheet metal



FLIP-IT GRAN GUITAR STAND
GS7153B-B

Height Adjustment: 12"–16.25"
Padding: EVA rubber
Construction: Steel
Color: Black



TRI FLIP-IT GUITAR STAND
GS7353B-B

Tubing: 19 mm / 22 mm
Padding: EVA rubber
Leg Housing: Sheet metal
Color: Black



PROFESSIONAL FLIP-IT A-FRAME GUITAR STAND
GS7465

Height Adjustment: 18.5"–26.5"
Tilt Angle: 10°
Tubing: 17 mm / 22 mm
Color: Black



DELUXE FOLDING DOUBLE GUITAR STAND
GS7221BD

Application: Holds 2 guitars
Height Adjustment: 19"–33"
Base Spread: 22"
Padding: EVA rubber
Color: Black



DELUXE FOLDING TRIPLE GUITAR STAND
GS7321BT

Application: Holds 3 guitars
Height Adjustment: 17"–32"
Base Spread: 22"
Padding: EVA rubber
Color: Black



HANG-IT SINGLE GUITAR STAND
GS7155

Height Adjustment: 24.5"–42.5"
Construction: Steel
Padding: EVA rubber
Color: Black



HANG-IT DOUBLE GUITAR STAND
GS7255

Height Adjustment: 36"–42"
Leg Housing: Sheet metal
Tubing: 19 mm / 25 mm
Padding: EVA rubber
Color: Black



HANG-IT TRIPLE GUITAR STAND
GS7355

Height Adjustment: 36"–42"
Leg Housing: Sheet metal
Tubing: 19 mm / 25 mm
Padding: EVA rubber
Color: Black



SIX-GUITAR STAND
GS7652B

Tubing: 25 mm / 30 mm
Leg Housing: High-impact plastic
Padding: EVA rubber
Color: Black




HANG-IT PROGRIP GUITAR STAND
GS8100

Height Adjustment: 30"–43"
Weight Capacity: 36 lb
Tubing: 17 mm / 25 mm
Padding: EVA rubber
Color: Black



HANG-IT PROGRIP II GUITAR STAND
GS8200

Height Adjustment: 30"–43"
Weight Capacity: 40 lb
Tubing: 17 mm / 25 mm
Padding: Inert rubber
Color: Black



NEW PRODUCT

LOCKING GUITAR STAND
GS8800

Height Adjustment: 29"–46.5"
Base Spread: 23.5"
Weight: 3.6 lb
Frame Construction: Steel / aluminum / plastic / EVA foam
Weight Capacity: 22 lb
Color: Black





STANDARD SINGLE A-FRAME GUITAR STAND
GS7362B

Tilt Angle: 10°
Vertical Tubing: 1" x 0.5"
Padding: EVA rubber
Color: Black



COLLAPSIBLE A-FRAME GUITAR STAND
GS7364

Tilt Angle: 10°
Vertical Tubing: 1" x 0.5" square
Padding: EVA rubber
Color: Black





MOST POPULAR

PROFESSIONAL A-FRAME GUITAR STAND
GS7462B

Tilt Angle: 10°
Vertical Tubing: 1" x 1" square
Padding: EVA rubber
Color: Black



PROFESSIONAL A-FRAME DOUBLE GUITAR STAND
GS7462DB

Tilt Angle: 10°
Vertical Tubing: 1" x 1"
Padding: EVA rubber
Color: Black



WIRE FOLK INSTRUMENT STAND
GS5000

Application: Small fretted instruments
Construction: 7 mm steel wire
Folded: 11.42" (L) x 11" (W) x 1.25" (H)
Base Spread: 5.12"
Color: Black



WIRE FOLDING GUITAR STAND
GS7655

Application: Holds 1 guitar
Folded: 15.5" (L) x 13" (W) x 1.25" (H)
Base Spread: 6.25"–10.75"
Position Adjustments: 5
Padding: EVA rubber
Color: Black



AWARD-WINNER

MIGHTY UKE STAND
GS6000B

Application: Small fretted instruments
Construction: Plastic
Folded: 8.5" (L) x 3.5" (W) x 1.25" (H)
Base Spread: 5.25"
Yoke Depth: 2.5"–3.5"
Color: Black



MIGHTY GUITAR STAND
GS6500

Application: Holds 1 guitar
Construction: Plastic
Folded: 12.25" (L) x 5.85" (W) x 1.65" (H)
Base Spread: 10.6"
Yoke Depth: 3.2"–5.1"
Color: Black



THREE-SPACE FOLDABLE MULTI-GUITAR RACK
GS7361

Base Spread: 15" (L) x 20" (W)
Padding: EVA rubber
Height: 29"
Color: Black
Folded: 20" (L) x 30" (W) x 6" (H)



FIVE-SPACE FOLDABLE MULTI-GUITAR RACK
GS7561

Base Spread: 25" (L) x 20" (W)
Padding: EVA rubber
Height: 29"
Color: Black
Folded: 25" (L) x 30" (W) x * (H)



12-SPACE UKULELE RACK
GS5012

Dimensions: 32" (L) x 19" (W) x 31.25" (H)
Padding: EVA rubber
Construction: Steel
Color: Black





AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - ROSEWOOD
GWS5000RB

Amp Shelf Dimension (L x W x D): 24.5" x 12.5" x 20.5"
Pedal Board Dimension (L x W x D): 24" x 8" x 3.5"
Top Shelf Dimension (L x W x D): 24.5" x 1.5" x 3"
Weight Capacity: 80 lbs.
Cabinet Construction: MDF
Includes: Hook-and-loop strips
Color: Rosewood



AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - BLACK
GWS5000B

Amp Shelf Dimension (L x W x D): 24.5" x 12.5" x 20.5"
Pedal Board Dimension (L x W x D): 24" x 8" x 3.5"
Top Shelf Dimension (L x W x D): 24.5" x 1.5" x 3"
Weight Capacity: 80 lb
Cabinet Construction: MDF
Includes: Hook-and-loop strips
Color: Black

ECONOMY BASS GUITAR GIG BAG
A. GBB4550

Length: 48" | **Lower Bout**: 16" | **Depth**: 1" | **Upper Bout**: 15"

ECONOMY ELECTRIC GUITAR GIG BAG
B. GBE4550

Length: 48" | **Lower Bout**: 16" | **Depth**: 1" | **Upper Bout**: 15"

ECONOMY CLASSICAL GUITAR GIG BAG
C. GBC4550

Length: 42" | **Lower Bout**: 17" | **Depth**: 4.75" | **Upper Bout**: 13"

ECONOMY ACOUSTIC GUITAR GIG BAG
D. GBA4550

Length: 44" | **Lower Bout**: 18" | **Depth**: 5" | **Upper Bout**: 14.5"

ECONOMY OFFSET GUITAR GIG BAG
D. GBO4550

Length: 47" | **Lower Bout**: 18" | **Depth**: 5" | **Upper Bout**: 13"

A.



IMPRINTABLE ITEM

B.



IMPRINTABLE ITEM

C.



IMPRINTABLE ITEM

D.



IMPRINTABLE ITEM

E.



NEW PRODUCT

IMPRINTABLE ITEM

A.



B.



C.



D.



STANDARD BASS GUITAR GIG BAG
A. GBB4770

Length: 48.03" | **Lower Bout**: 14.37"
Neck Width: 6.69" | **Upper Bout**: 13"
Depth: 2.95"

STANDARD ACOUSTIC GUITAR GIG BAG
B. GBA4770

Length: 40.35" | **Lower Bout**: 15.35"
Neck Width: 5.91" | **Upper Bout**: 12.2"
Depth: 3.94"

STANDARD CLASSICAL GUITAR GIG BAG
C. GBC4770

Length: 42.32" | **Lower Bout**: 16.73"
Neck Width: 6.1" | **Upper Bout**: 12.2"
Depth: 3.94"

STANDARD ELECTRIC GUITAR GIG BAG
D. GBE4770

Length: 38.97" | **Lower Bout**: 14.37"
Neck Width: 6.49" | **Upper Bout**: 12.6"
Depth: 2.76"

STRIPED ACOUSTIC GUITAR BAG
A. GBA4770S

Length: 42.1"
Neck Width: 6"
Depth: 4.7"
Lower Bout: 16.5"
Upper Bout: 12.8"

STRIPED BASS GUITAR BAG
B. GBB4770S

Length: 47.2"
Neck Width: 6.1"
Depth: 3.94"
Lower Bout: 14.8"
Upper Bout: 11.2"

STRIPED ELECTRIC GUITAR BAG
C. GBE4770S

Length: 40.2"
Neck Width: 5.7"
Depth: 2.4"
Lower Bout: 14"
Upper Bout: 11.8"

A.



B.



C.



A.



IMPRINTABLE ITEM

B.



IMPRINTABLE ITEM

C.



IMPRINTABLE ITEM

D.



IMPRINTABLE ITEM

DELUXE BASS GUITAR GIG BAG
A. GBB4990CG

Length: 48"
Depth: 2.4"
Lower Bout: 15"
Upper Bout: 12.2"

DELUXE ACOUSTIC GUITAR GIG BAG
B. GBA4990CG

Length: 42.5"
Depth: 15.1"
Lower Bout: 17.7"
Upper Bout: 13.8"

DELUXE CLASSICAL GUITAR GIG BAG
C. GBC4990CG

Length: 41"
Depth: 4.3"
Lower Bout: 15.4"
Upper Bout: 12.8"

DELUXE ELECTRIC GUITAR GIG BAG
D. GBE4990CG

Length: 40.5"
Depth: 2"
Lower Bout: 14.4"
Upper Bout: 11.8"

HYBRID BASS GUITAR GIG BAG
A. GHB7550CG

Length: 47.2"
Depth: 4.3"
Neck Width: 5.1"
Lower Bout: 16.1"
Upper Bout: 11.8"

HYBRID ACOUSTIC GUITAR GIG BAG
B. GHA7550CG

Length: 44.1"
Depth: 5.1"
Neck Width: 5.1"
Lower Bout: 16.9"
Upper Bout: 12.2"

HYBRID ELECTRIC GUITAR GIG BAG
C. GHE7550CG

Length: 39.4"
Depth: 3.9"
Neck Width: 3.9"
Lower Bout: 14.4"
Upper Bout: 11.4"


HYBRID CLASSICAL GUITAR GIG BAG
D. GHC7550CG

Length: 39.4"
Depth: 5.1"
Neck Width: 5.1"
Lower Bout: 16.9"
Upper Bout: 12.2"



PROP 65 WARNING

* This warning applies to products that can cause exposure to chemicals including Bis(2-ethylhexyl) phthalate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to P65Warnings.ca.gov



PROP 65 WARNING

HARDSHELL ELECTRIC GUITAR CASE / TWEED
A. GCE6000T

Exterior Length: 42.5"
Interior Length: 41.7"
Depth: 4"
Exterior Width: 14.6"
Interior Width: 12.8"

HARDSHELL ELECTRIC GUITAR CASE / BLACK
B. GCE6000B

Exterior Length: 42.5"
Interior Length: 41.7"
Depth: 4"
Exterior Width: 14.6"
Interior Width: 12.8"

HARDSHELL ELECTRIC BASS GUITAR CASE / BLACK
C. GCB6000B

Exterior Length: 48"
Interior Length: 45.83"
Depth: 4.5"
Exterior Width: 15.2"
Interior Width: 13.46"

HARDSHELL CLASSICAL GUITAR CASE
A. GCC5000B

Length: 42.1"
Depth: 5.9"
Headstock Width: 6.8"
Headstock Depth: 2.95"
Lower Bout: 16.9"
Upper Bout: 13.8"
Neck Width: 5.5"

HARDSHELL SHALLOW-BODY ACOUSTIC GUITAR CASE
B. GCA5500B

Length: 42.52"
Depth: 4.33"
Headstock Width: 6.3"
Headstock Depth: 3.94"
Lower Bout: 17.6"
Upper Bout: 13.78"
Neck Width: 5.91"

HARDSHELL ACOUSTIC GUITAR CASE
C. GCA5000B

Length: 45.47"
Depth: 6.3"
Headstock Width: 7.24"
Headstock Depth: 4.875"
Lower Bout: 18"
Upper Bout: 14.75"
Neck Width: 6"

HARDSHELL JUMBO ACOUSTIC GUITAR CASE
D. GCA5600B

Length: 44"
Depth: 6"
Headstock Width: 6"
Headstock Depth: 2.76"
Lower Bout: 19"
Upper Bout: 14"
Neck Width: 5.5"



PROP 65 WARNING

⚠ * This warning applies to products that can cause exposure to chemicals including Bis(2-ethylhexyl) phthalate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to P65Warnings.ca.gov



PROP 65 WARNING

HARDSHELL SINGLE-CUTAWAY ELECTRIC GUITAR CASE
GCLP7000

Length: 41.34"
Depth: 4.8"
Middle: 9.65"
Lower Bout: 14.96"
Upper Bout: 11.22"
Neck Width: 6.3"



HARDSHELL ELECTRIC GUITAR CASE / BLACK
GCE6000B
(PAGE 16)

MANDOLIN BAG
A. GBM4770B

Exterior Length: 28"
Neck Width: 3.9"
Depth: 2.4"
Lower Bout: 11"
Upper Bout: 5.1"

BANJO BAG
B. GBJ4770B

Interior Length: 39.4"
Neck Width: 5.1"
Depth: 4.7"
Lower Bout: 13"
Upper Bout: 5.9"



A.



B.

⚠ * This warning applies to products that can cause exposure to chemicals including Bis(2-ethylhexyl) phthalate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to P65Warnings.ca.gov



*DELUXE STRIPED



A. B. C. D.

BARITONE UKULELE GIG BAG
A. GBU4101 / BLACK
GBU4101S / DELUXE STRIPED*

Exterior Width: 10"
Exterior Height: 32"
Depth: 3.5"

TENOR UKULELE GIG BAG
B. GBU4102 / BLACK
GBU4102S / DELUXE STRIPED*

Exterior Width: 9.25"
Exterior Height: 27"
Depth: 3"

CONCERT UKULELE GIG BAG
C. GBU4104 / BLACK
GBU4104S / DELUXE STRIPED*

Exterior Width: 8.25"
Exterior Height: 26.5"
Depth: 2.75"

SOPRANO UKULELE GIG BAG
D. GBU4103 / BLACK
GBU4103S / DELUXE STRIPED*

Exterior Width: 7.25"
Exterior Height: 22"
Depth: 2"



CONCERT UKULELE BAG
C. GBU4204B

Exterior Length: 27.5"
Color: Black
Interior Width: 11"

SOPRANO UKULELE BAG
D. GBU4203B

Exterior Length: 24"
Color: Black
Interior Width: 10.5"



Lifestyle photo by Mohamed elamine M'siouri from pexels.com

A.



NEW PRODUCT

B.



NEW PRODUCT

C.



NEW PRODUCT

D.



NEW PRODUCT

E.



NEW PRODUCT

F.



NEW PRODUCT

ACOUSTIC GUITAR GIG BAG (GREEN)
A. GBAADV4770BK

Length: 41"
Padding Thickness: 0.79"
Depth: 5.25"
Exterior Construction: 600D nylon

BASS GUITAR GIG BAG (GREEN)
B. GBBADV4770BK

Length: 47.5"
Padding Thickness: 0.79"
Depth: 2"
Exterior Construction: 600D nylon

ELECTRIC GUITAR GIG BAG (GREEN)
C. GBEADV4770BK

Length: 40"
Padding Thickness: 0.79"
Depth: 2.5"
Exterior Construction: 600D nylon

Adventure
BY ON-STAGE®

ACOUSTIC GUITAR GIG BAG (BLACK)
D. GBAADV4770BK

Length: 41"
Padding Thickness: 0.79"
Depth: 5.25"
Exterior Construction: 600D nylon

BASS GUITAR GIG BAG (BLACK)
E. GBBADV4770BK

Length: 47.5"
Padding Thickness: 0.79"
Depth: 2"
Exterior Construction: 600D nylon

ELECTRIC GUITAR GIG BAG (BLACK)
F. GBEADV4770BK

Length: 40"
Padding Thickness: 0.79"
Depth: 2.5"
Exterior Construction: 600D nylon



WALL-MOUNT GUITAR HANGER WITH ROUND METAL BASE

GS7640

Construction: Steel
Color: Black
Padding: EVA rubber



ADJUSTABLE SLATWALL GUITAR HANGER

GS7650AB

Position: Adjustable (left/straight/right)
Weight Capacity: 11 lb
Padding: EVA rubber
Color: Black
Construction: Steel



MOST POPULAR

WOODEN WALL-MOUNT GUITAR/UKULELE HANGER

GS7730

Construction: Steel / wood
Color: Black / maple
Padding: EVA rubber



U-MOUNT MIC-STAND GUITAR HANGER

GS7800

Construction: Steel
Clamp Size: Adjustable to 0.75"
Padding: EVA rubber
Weight Capacity: 8 lb
Includes: u-mount guitar hanger, EVA stand bumper, and zip tie



LOCKING GUITAR HANGER

GS8130

Application: Holds 1 guitar
Position: Adjustable (left/straight/right)
Padding: EVA rubber
Weight Capacity: 16.5 lb
Construction: Steel
Color: Black



GS8730BK BLACK
GS8730MA MAHOGANY
GS8730CH CHERRY
GS8730WN WALNUT

WOOD LOCKING GUITAR HANGER

GS8730 SERIES / 5 Finishes

Application: Holds 1 guitar
Construction: Nylon/wood
Padding: EVA rubber
Includes: Mounting hardware, wall anchors
Weight Capacity: 16.5 lb
Color: Various




ON-STAGE ORIGINAL

GUITAR UTILITY VEHICLE

GUV8000

Dimensions While in Use: 36" (L) x 24" (W) x 40" (H)
Folded-Down Dimensions: 36" (L) x 24" (W) x 12" (H) or 16" (H) with cup holder installed
Amp Stand Dimensions: 30" (L) x 12" (W) x 22" (H)
Accessory Tray Dimensions: 7.75" (L) x 6.75" (W) x 0.38" (D)
Wheel Footprint: 32" (L) x 20.5" (W)
Weight Capacity: 300 lb
360° Swiveling Caster Quantity: 4
Caster Brake Quantity: 2
Wheel Dimensions: 8" (H) x 2.5" (W)
Tire Type: Foam filled




M20 THREADED

GUITAR HANGER FOR M20 BASES

GPA7155

Height Adjustment: 24"–38"
Threading: M20
Padding: EVA rubber
Color: Black



HOOK-AND-LOOP STRIPS

HL4000

Application: Secures pedals, mixers, drum machines, and other devices
Dimensions: 41.5" (L) x 3" (W) per strip
Quantity: 2 strips
Color: Black



WIRELESS TRANSMITTER POUCH WITH GUITAR STRAP

MA1335

Dimensions: Fits 1" (L) x 3" (W)
Strap Length: 32"–55"
Large Loop: Fits belts and straps up to 1.75"
Material: Water-resistant neoprene
Small Loop: Fits belts up to 0.75" x 3.5" (D) transmitter
Color: Black



AWARD-WINNER

ON-STAGE ORIGINAL

COMPACT PEDALBOARD WITH GIG BAG

GPB2000

Application: Holds up to 5 standard-size guitar pedals

Includes: Gig bag, adhesive hook-and-loop strips

Construction: Aluminum

Color: Black

Dimensions: 18.75" (L) x 6" (W)



ON-STAGE ORIGINAL

PEDALBOARD WITH GIG BAG

GPB3000

Application: Holds up to 10 standard-size guitar pedals

Includes: Gig bag, adhesive hook-and-loop strips

Construction: Aluminum

Bag Material: Nylon

Dimensions: 18.7" (L) x 9" (W)

Color: Black

Bag: 21.5" (L) x 12.5" (W) x 4.5" (H)



NEW PRODUCT

DELUXE PEDALBOARD

GPB-DLX

Main Platform Dimensions: 20" (L) x 12" (W)

Weight: 6.5 lb

Upper Tier Dimensions: 10.5" (L) x 5" (W)

Construction: Steel

Includes: Gig bag, adhesive hook and loop strips

Color: Black

Gig-Bag Interior Dimensions: 21" (L) x 13" (W) x 5.5" (H)



PEDAL POWER PACK

PS801

Application: Powers up to 8 effect pedals

Includes: (1) Adapter, (1) 8-plug daisy chain, (2) 9 V battery connectors, (1) Line 6 connector, (1) 3.5 mm connector, (1) Reverse-polarity connector

Plug Size: 5.5 mm / 2.1 mm



EIGHT-PLUG DAISY CHAIN

PSA800

Application: Powers up to 8 effect pedals when used with a power adapter (sold separately)

Plug Size: 5.5 mm / 2.1 mm

Wire Length: 3.5" per plug

Color: Black



9V PEDAL POWER SUPPLY

PS9500

Input: 100–240 V AC, 50/60 Hz, 0.3 A

Output: 9 V DC, 500 mA



GUITAR STRING WINDER

GSW500

Construction: Plastic

Color: Black



PEDAL POWER BANK

PS901

Application: Powers multiple effect pedals

Construction: Aluminum enclosure

Dimensions: 6.25" (L) x 2" (W) x 0.9" (H)

Power: 18 V AC/DC adapter

Outputs: 18V 2A (1), 12V 1A (2), 9V 1A (1), 9V 100mA (5)

Includes: (8) power cables, (1) 5-plug daisy chain, (1) reverse polarity plug, (1) power adapter (US) w/ (3) Euro plug attachments



CHROME-PLATED GUITAR SLIDE

SLD209 / SIZE 9

Size: 9

Inside Diameter: 18.9 mm

Outside Diameter: 21.3 mm

Length: 55 mm



SLD211 / SIZE 11

Size: 11

Inside Diameter: 20.6 mm

Outside Diameter: 23 mm

Length: 55 mm



GUITAR CAPO

GA100

Construction: Diecast zinc alloy

Color: Black

Padding: Silicone



UKULELE CAPO

GA200

Construction: Diecast zinc alloy

Color: Silver

Padding: Silicone



CLASSICAL GUITAR CAPO

GA300

Construction: Diecast zinc alloy

Color: Black

Padding: Silicone



NEW PRODUCT

LIGHT / MEDIUM GUITAR PICKS

GP12LM

Material: Celluloid, nylon

Quantity: 12

Gauges: (4) 0.50 mm, (4) 0.71 mm, (4) 0.88 mm



NEW PRODUCT

MEDIUM / HEAVY GUITAR PICKS

GP12MH

Material: Celluloid, nylon

Quantity: 12

Gauges: (4) 0.88 mm, (4) 1.00 mm, (4) 1.2 mm



FELT UKULELE PICKS

UPK300

Dimensions: 25 mm x 30 mm

Colors: White, blue, purple

Quantity: 3



GUITAR PICK HOLDER

GSAPK6600

Application: Holds up to 7 guitar picks

Includes: 6 guitar picks

Material: Rubber

Color: Black / purple

Length: 7"



JAR OF 100 PICK HOLDERS

GSAPK6500

Application: Each pick holder stores up to 5 medium-gauge picks

Quantity: 100

Material: Molded plastic / adhesive backing

Color: Black



UNIVERSAL GUITAR CARE KIT

GK7000

Polish Size: 4 oz

Guitar Pick Quantity: 3

Cloth Size: 7.75" x 7.75"

Cloth Quantity: 2

Guitar Pick Size: 0.46 mm x 0.71 mm x 0.96 mm





ACOUSTIC GUITAR STRAPS

GSA10 SERIES / 8 Color Options

Length Adjustment: 31"–52"

Construction: Polypropylene / leather

BLACK	GSA10BK
GRAY	GSA10GR
BROWN	GSA10BR
BLUE	GSA10BL
GREEN	GSA10GE
BURGUNDY	GSA10BU
RED	GSA10RD
BLACK/RED	GSA10BKNA



BLACK	GSA20BK
GRAY	GSA20GR
BROWN	GSA20BR
LIGHT BLUE	GSA20LB
RED	GSA20RD
GREEN	GSA20GE
PURPLE	GSA20PP
PINK	GSA20PK

SEATBELT GUITAR STRAPS
GSA20 SERIES / 8 Color Options

Length Adjustment: 36"–64"

Construction: Nylon / leather



GUITAR HUMIDIFIER
GA150

Material: Plastic

Color: Black



UKULELE HUMIDIFIER
GA250

Material: Plastic

Color: Black





NEW PRODUCT

RECHARGEABLE GUITAR WIRELESS SYSTEM
RGWS1

Power: 3.7 V 950 mAh Li-ion battery

Transmission Distance: up to 150 feet

Signal to Noise Ratio: > 85 dB

Charging Time: 2 hours (from zero to full)

Frequency Channels: 7

Dynamic Range: > 106 dB

Working Time: 6 hours

Weight: 0.21 lb

Includes: Owner's manual, 1/8"–1/4" adapter, dual-output USB-C charging cable



CHROMATIC TUNER, METRONOME, TONE GENERATOR
GTA7000

Application: Chromatic Tuner, Metronome, and Tone Generator

Dimensions: 4.21" (L) x 3" (H) x 0.65" (D)

Rhythm: Multiple rhythm patterns

Includes: Clip-on mic, (2) AAA batteries, instructions

Display: 1-color

Tuning Mode: Chromatic

Color: Black



CLIP-ON TUNER
GTA3000

Pitch Range: 440 Hz

Dimensions: 29 mm x 75 mm x 50 mm

Tuning Settings: Chromatic, Guitar, Bass, Violin, Ukulele

2-Color Backlight: Green = in tune; White = out of tune

Includes: Owner's Manual, (1) 2032 coin battery

Detection Accuracy: ±0.5

Weight: 20 g



MINI PEDAL TUNER
GTP7000

Dimensions: 3.6" (L) x 1.5" (W) x 1.2" (D)

Power: 9 V DC (power supply not included)

Tuning Mode: Chromatic

Display: 4 color



RECHARGEABLE CLIP-ON TUNER
GTA4500

Application: Chromatic tuner with guitar, bass, ukulele, and violin modes

Power Supply: 3.7 V / 100 mAh (included)

Dimensions: 1.3" (L) x 1.2" (W) x 3.7" (D)

Includes: USB charging cable, instructions

Display: 4 color

Rotation: 360°

Battery Life: 5.5 Hours



ABY SWITCHER
GSP1000

Application: Switches between effect pedals

Power: 9 V DC, center negative (not included)

Construction: Aluminum enclosure

Dimensions: 3.6" (L) x 1.5" (W) x 2.1" (H)

Inputs: 1/4"

Outputs: (2) 1/4"

Color: Black



HARMONICA HOLDER
IHH1020

Application: Holds 10- to 20-hole harmonicas

Color: Silver

Construction: Metal



TRAVEL GUITAR AMP
TGA01

Dimension: 5" (L) x 4" (H) x 2.5" (D)

Weight: 0.65 lb

Speaker: (2) 1.75" full range

Output: 5W

Playing Time (Full Charge): 7 hours

Power Supply: 3.7V; 2200 mA lithium battery

Includes: Type-C USB cable for charging



MOST POPULAR

FOOT STOOL
FS7850B

Application: Guitar posture

Position Adjustments: 5

Color: Black



CLASSIC GUITAR STAND
XCG-4
(PAGE 2)



GUITAR STOOL WITH FOOT REST
DT7500

Application: Musician seating / holds 1 guitar

Stool Width: 28"

Stool Width: 9"

Foot Rest Height: 11"

Weight Capacity: 300 lb

Color: Black



GUITAR STOOL WITH HANGER AND FOOT REST
DT8000

Application: Musician seating / holds 1 guitar

Seat Dimensions: 15.75" x 12" x 2"

Base Spread: 14.75" (W) x 22.25" (D)

Weight Capacity: 200 lb

Back Rest to Front of Cushion: 12"–15" (adjustable)

Construction: Steel

Height (floor to cushion): 27"

Height (total): 39"

Color: Black



GUITAR / KEYBOARD THRONE
DT8500V2

Seat Width: 12"

Height Adjustment: 21.25"–30.5"

Foot Rest Height: 14.75" "

Hanger Construction: Steel

Hanger Weight Capacity: 12lb

Base Spread: 16.5"

Weight Capacity: 300 lb

Base Rest Height: 14.75"

Padding: EVA rubber

Color: Black

ON MIC.

PRODUCTION-GRADE

HEAVY-DUTY MIC STAND WITH 12" BASE

MS9212

(PAGE 7)

PRODUCTION-GRADE

MIC STAND WITH TELESCOPING BOOM ARM AND TRIPOD BASE

MS9701TB

(PAGE 4)

On-Stage®



MOST POPULAR

TRIPOD-BASE MIC STAND

MS700B

Height Adjustment: 32"–61.5"

Threading: 5/8"-27

Base Spread: 23"

Color: Black



MOST POPULAR

EURO BOOM MIC STAND

MS7701B / Black

Height Adjustment: 32"–61.5"

Threading: 5/8"-27

Color: Black

Boom Length: 30"

Base Spread: 23"



EURO BOOM MIC STAND

MS7701C / Chrome

Height Adjustment: 32"–61.5"

Threading: 5/8"-27

Color: Chrome

Boom Length: 30"

Base Spread: 23"



EURO BOOM MIC STAND

MS7801W

Height Adjustment: 37"–64"

Threading: 5/8"-27

Color: White

Base Spread: 23"

Boom Length: 31"



MOST POPULAR

TELESCOPING EURO BOOM MIC STAND
MS7701TB

Height Adjustment: 32"–61.5"
Base Spread: 23"
Color: Black
Threading: 5/8"-27
Boom Length Adjustment: 20"–36"



ONE-HANDED MIC STAND WITH TRIPOD BASE
MS7540

Height Adjustment: 42.75"–69.75"
Base Type: Tripod
Footprint Dimension: Circular diameter of 27.2"
Threading: 5/8"-27
Tubing Construction: Steel



ONE-HANDED MIC STAND WITH BOOM ARM AND TRIPOD BASE
MS7550

Height Adjustment: 42.75"–69.75"
Telescoping Boom Length Adjustment: 18.7"–33.1"
Base Type: Tripod
Footprint Dimension: Circular diameter of 27.2"
Threading: 5/8"-27
Tubing Construction: Steel



PROP 65 WARNING*

MIC STAND PACK
MS7500

Boom Length: 31.5"
Height Adjustment: 41.5"–63"
Microphone: Dynamic with cardioid pattern
Microphone Frequency Response: 80 Hz–12 kHz
Cable: 13' XLR-QTR Hi-Z
Includes: Microphone, cable, mic clip and mic pouch



NEW PRODUCT

MIC STAND WITH GOOSENECK
MS7702B

Gooseneck Length: 13"
Base Spread: 23"
Gooseneck Material: Steel
Threading: 5/8"-27
Height Adjustment: 32"-61.5"
Color: Black



TRAVEL MIC STAND
MS500

Height Adjustment: 22"–57"
Folded Length: 20"
Boom Arm Length: 19.5"–35"
Weight: 3.7 lb
Tripod Base Diameter: 23.5"
Color: Black
Includes: Drawstring bag



THREE EURO BOOM MIC STANDS WITH BAG
MSP7703

Height Adjustment: 32"–61.5"
Base Spread: 23"
Boom Length: 30"
Threading: 5/8"-27
Bag Dimensions: 38" (L) x 6" (W) x 4" (D)
Bag Construction: Heavy-duty nylon / foam padding
Color: Black



SIX EURO BOOM MIC STANDS WITH BAG
MSP7706

Height Adjustment: 32"–61.5"
Base Spread: 23"
Boom Length: 30"
Threading: 5/8"-27
Bag Dimensions: 38" (L) x 6" (W) x 4" (D)
Bag Construction: Heavy-duty nylon / foam padding
Color: Black

* This warning applies to products that can cause exposure to chemicals including Bis(2-ethylhexyl) phthalate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to P65Warnings.ca.gov





MIC STAND WITH TRIPOD BASE
MS9700B

Height Adjustment: 36"–64"
Construction: Steel / zinc
Color: Black
Base Spread: 24"
Threading: 5/8"-27



MIC STAND WITH BOOM ARM AND TRIPOD BASE
MS9701B

Height Adjustment: 36"–64"
Threading: 5/8"-27
Construction: Steel / zinc
Base Spread: 24"
Boom Length: 30"
Color: Black



MOST POPULAR

MIC STAND WITH TELESCOPING BOOM ARM AND TRIPOD BASE
MS9701TB


Height Adjustment: 21.5"–36"
Threading: 5/8"-27
Construction: Steel / zinc
Boom Length Adjustment: 19"–30"
Base Spread: 24"
Color: Black



ONE-HANDED MIC STAND WITH ROUND BASE
MS9510

Height Adjustment: 43"–69.75"
Footprint Dimension: 10"
Tubing Construction: Steel
Base Type: Round
Threading: 5/8"-27


PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS



M20 THREADED

MIC STAND WITH 10" BASE
MS9210


Height Adjustment: 36"–65"
Upper Threading: 5/8"-27
Base Threading: M20
Base Diameter: 10"
Base Weight: 6 lb
Color: Black



M20 THREADED

MIC STAND WITH 12" BASE
MS9212

Height Adjustment: 36"–65"
Upper Threading: 5/8"-27
Base Threading: M20
Base Diameter: 12"
Base Weight: 10 lb
Color: Black



M20 THREADED

THREE-SECTION MIC STAND
MS9312

Height Adjustment: 39"–97"
Upper Threading: 5/8"-27
Base Threading: M20
Base Diameter: 12"
Base Weight: 10 lb
Color: Black

PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS



ON-STAGE ORIGINAL

QUARTER-TURN ROUND-BASE MIC STAND
MS7201QTR / Black

Height Adjustment: 34"–60"
Upper Threading: 5/8"-27
Color: Black
Base Diameter: 10"
Base Weight: 6.4 lb



ON-STAGE ORIGINAL

QUARTER-TURN ROUND-BASE MIC STAND
MS7201QTRW / White

Height Adjustment: 34"–60"
Upper Threading: 5/8"-27
Color: Black
Base Diameter: 10"
Base Weight: 6.4 lb



PROGRIP DOME-BASE MIC STAND
MS7255PG

Height Adjustment: 38"–61"
Upper Threading: 5/8"-27
Color: Black
Base Diameter: 10"
Base Weight: 9 lb



QUIK-RELEASE ROUND-BASE MIC STAND
MS7201QRB

Base Diameter: 10"
Upper Threading: 5/8"-27
Color: Black
Base Weight: 7 lb
Height: 34"–62"



MOST POPULAR

ROUND-BASE MIC STAND

MS7201B / Black

Height Adjustment: 33"–60"
Upper Threading: 5/8"-27
Base Diameter: 10"
Base Weight: 7 lb



ROUND-BASE MIC STAND

MS7201C / Chrome

Height Adjustment: 33"–60"
Upper Threading: 5/8"-27
Base Diameter: 10"
Base Weight: 7 lb



ROUND-BASE MIC STAND

MS7201W - BB / White

Height Adjustment: 33"–60"
Upper Threading: 5/8"-27
Base Diameter: 10"
Base Weight: 7 lb



STACKABLE MIC STAND

MS7325

Height Adjustment: 34"–61"
Upper Threading: 5/8"-27
Base Threading: 7/8"-27*
Base Diameter: 10"
Base Weight: 7 lb
Color: Black

*on newer versions



M20 THREADED
ON-STAGE ORIGINAL

UTILITY STAND FOR PEDALBOARD

GPA1003

Height Adjustment: 41"–69"
Base Threading: M20
Base Spread: 17.9" x 10.35" (designed to slide under pedal boards)
Upper Threading: 5/8"-27
Upper Shaft Tilt Adjustment: 0°–40°
Base Weight: 8 lb
Color: Black



ON-STAGE ORIGINAL

HEX-BASE QUARTER-TURN THREADLESS MIC STAND

MS7625B

Height Adjustment: 33"–61"
Upper Threading: 5/8"-27
Color: Black
Base Spread: 11.5"
Base Weight: 6 lb



NEW PRODUCT

MIC STAND WITH FLAT BASE

MS7300

Base Dimensions: 7.25" (L) x 11.5" (W)
Height Adjustment: 25"–66"
Weight: 5.8 lb
Includes: Clothespin-style mic clip
Threading: 5/8"-27
Color: Black



M20 THREADED
ON-STAGE ORIGINAL

STUDIO MIC BOOM

SMS7630B

Height Adjustment: 42"–72"
Base Spread: 15"
Base Weight: 16 lb
Boom Length Adjustment: 32.5"–47"
Threading: 5/8"-27
Base Threading: M20
Color: Black



M20 THREADED
ON-STAGE ORIGINAL

HEX-BASE STUDIO BOOM MIC STAND
SMS7650

Height Adjustment: 40"–82"
Base Spread: 18"
Base Spread with Casters: 24"
Base Weight: 17 lb
Boom Length Adjustment: 43"–79"
Mini Boom Length: 7"
Threading: 5/8"-27
Base Threading: M20
Color: Black



STUDIO MIC BOOM WITH 7" MINI-BOOM EXTENSION AND CASTERS
SB96

Height Adjustment: 45"–76"
Base Spread: 34"
Base Includes: Locking casters
Boom Length Adjustment: 43"–79"
Mini Boom Length: 7"
Threading: 5/8"-27
Color: Black



TRIPOD STUDIO MIC BOOM WITH 7" MINI-BOOM EXTENSION
SB9600

Height Adjustment: 46.5"–79"
Base Spread Adjustment: 32"–48"
Boom Length Adjustment: 43"–79"
Mini Boom Length: 7"
Threading: 5/8"-27
Color: Black



UTILITY STAND FOR PEDALBOARD
GPA1003
(PAGE 10)



CEILING BAR FOR MICS AND LIGHTS
MY900

Application: Ceiling bar for mics and lights second mic stand accessory
Includes: Wood screws, brackets, and lugs
Length: 46.5"
Lug Threading: 5/8"-27



HANDHELD MIC BOOM POLE
MBP7000

Length Adjustment: 3.1'–8.1'
Materials: Aluminum / EVA rubber grip
Weight: 0.95 lb
Color: Black
Threading: 5/8"-27 male and 3/8"-27 female



M20 THREADED

DRUM / AMP MIC STAND WITH TELESCOPING BOOM ARM AND ROUND BASE

MS9417

Height Adjustment: 17"–28.5"
Boom Length Adjustment: 21.5"–36"
Threading: 5/8"-27
Base Diameter: 10"
Base Weight: 6 lb
Color: Black




KICK DRUM MIC STAND WITH TRIPOD BASE

MS9411TB

Height Adjustment: 15"–24"
Boom Length Adjustment: 19"–33"
Base Spread: 19"
Color: Black

PRODUCTION-GRADE

DESIGNED FOR PROFESSIONALS



PRODUCTION-GRADE

DRUM / AMP MIC STAND WITH TELESCOPING BOOM ARM
MS9417



M20 THREADED

DRUM / AMP MIC STAND

MS7311B

Height Adjustment: 18"–26.5"
Boom Length: 17"
Base Threading: M20
Base Spread: 6.5"
Base Weight: 7 lb
Color: Black



MOST POPULAR

BASS DRUM / BOOM COMBO MIC STAND

MS7920B

Height Adjustment: 8"–14"
Base Spread: 4.5" x 7.5"
Boom Length: 16"
Color: Black



MOST POPULAR

DRUM / AMP TRIPOD MIC STAND WITH BOOM

MS7411B

Height Adjustment: 17"–27"
Boom Length: 19"
Base Spread: 26"
Color: Black



DRUM / AMP TRIPOD MIC STAND WITH TELE BOOM

MS7411TB

Height Adjustment: 17"–27"
Boom Length Adjustment: 20"–36"
Base Spread: 26"
Color: Black



POSI-LOCK DESKTOP MIC STAND
DS300B

Base Weight: 3 lb
Boom Length: 7"
Color: Black
Base Diameter: 6"



GOOSENECK DESKTOP MIC STAND
DS6213

Base Spread: 5.6" x 6.75"
Maximum Height: 14"
Base Weight: 2.4 lb
Color: Black



MOST POPULAR

DESKTOP MIC STAND
DS7100B / BLACK

Base Diameter: 6"
Height: 4"
Base Weight: 2 lb
Color: Black or chrome



MOST POPULAR

ADJUSTABLE DESKTOP MIC STAND
DS7200B / Black DS7200C / Chrome

Base Diameter: 6"
Height Adjustment: 9"–13"
Base Weight: 2 lb
Color: Black or chrome



QUICK-RELEASE DESKTOP MIC STAND
DS7200QRB

Base Diameter: 6"
Height Adjustment: 9"–13"
Base Weight: 2 lb
Color: Black or chrome



TRIPOD DESKTOP MIC STAND
DS7425

Base Spread: 7.5"
Height Adjustment: 4.3"–6.7"
Includes: Mic clip
Color: Black and chrome



ON-STAGE ORIGINAL

DESKTOP MIC STAND WITH ROCKER LUG
DS8200

Base Diameter: 6"
Height Adjustment: 9"–14.25"
Base Weight: 3 lb
Upper Shaft Tilt Range: 40°
Color: Black



BROADCAST MIC BOOM ARM
MBS5000

Vertical Arm Length: 19.5"
Horizontal Arm Length: 19.5"
Total Reach: 38"
Threading: 5/8"-27
Weight Capacity: 3.5 lb
Included: Pre-installed 10' XLR cable
Mounting Options: C-clamp, screw-down flange mount



PROFESSIONAL STUDIO MIC BOOM ARM
MBS7500

Vertical Arm Length: 19.5"
Horizontal Arm Length: 19.5"
Total Reach: 38"
Threading: 5/8"-27
Weight Capacity: 3.5 lb
Color: Black
Mounting Options: C-clamp, screw-down flange mount



NEW PRODUCT

LOW-PROFILE BROADCAST BOOM ARM
MBS-LP1

Clamp Opening: 0–2.5"
Lower Shaft Length: 13.5"
Mounting Stem Threading: 5/8"-27
Tubing Outer Dimensions: 1" x 1.14"
Upper Shaft Length: 15.5"
Weight Capacity: 3.5 lb
Includes: Cable-management clips and camera-mount adapter



MIC BOOM
MSA7020B

Length Adjustment: 32"–48"
Maximum Rotation: 360°
Threading: 5/8"-27
Color: Black



TELESCOPING MIC BOOM
MSA7020TB

Length: 32"–48"
Maximum Rotation: 360°
Threading: 5/8"-27
Color: Black



MOST POPULAR

TELESCOPING MIC BOOM
MSA7040TB

Length Adjustment: 19"–32"
Maximum Rotation: 320°
Threading: 5/8"-27
Construction: Steel
Color: Black



CLAMP-ON MIC BOOM ARM
MSA8020

Maximum Boom Length: 19"
Maximum Rotation: 320°
Vertical Height: 15"
Construction: Steel
Threading: 5/8"-27
Color: Black



TELESCOPING MIC BOOM
MSA9720TB

Length Adjustment: 19"–30"
Maximum Rotation: 320°
Threading: 5/8"-27
Construction: Steel
Color: Black



TELESCOPING MIC BOOM WITH DUAL MIC CAPABILITY
MSA9800

Length Adjustment: 21.5"–36"
Construction: Steel
Max Rotation: 320°
Color: Black
Threading: 5/8"-27

PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS



PROFESSIONAL QUICK-RELEASE MIC ADAPTER
QK-10B

Application: Push-button quick-release for mic clips
Color: Black and chrome
Threading: 5/8"-27



POSI-LOCK CLUTCH
MSA-9501

Application: Vocals and instruments
Diameter: 1.75"
Max Rotation: 320°
Color: Black
Threading: 5/8"-27



7" POSI-LOCK MINI BOOM
MSA-9502

Application: Vocals and instruments
Length: 7"
Max Rotation: 300°
Color: Black
Threading: 5/8"-27



POSI-LOCK TELE BOOM
MSA-9505

Length: 7"
Maximum Rotation: 300°
Color: Black
Threading: 5/8"-27



POSI-LOCK SIDE MOUNT MINI BOOM
MSA-9508

Length: 7"
Maximum Rotation: 300°
Color: Black
Threading: 5/8"-27



CAMERA ADAPTER WITH SHOE MOUNT
CM03

Application: Mounts camera to mic stand
Female Threading: 1/4"-20
Male Threading: 1/4"-20
Weight Capacity: 3.5 lb
Ball-Joint Pan Adjustment: 360°
Color: Black



MOST POPULAR

VIDEO CAMERA / DIGITAL RECORDER ADAPTER

CM01

Application: Mounts camera to mic stand
Male Threading: 1/4"-20
Tilt Angle Adjustment: 180°
Female Threading: 5/8"-27
Pan Adjustment: 360°
Weight: 0.3 lb



BALL-JOINT MIC ADAPTER

MM01

Application: Adds a ball joint with 5/8"-27 threading to any standard mic stand
Tilt Angle Adjustment: 180°
Rotational Adjustment: 360°
Weight Capacity: 6 lb
Color: Chrome



COUNTERWEIGHT

CW-3 / 2.5 lb CW-6 / 5.5 lb

Application: Mic stand balance and stability
Clamp Size: Fits tubing 14 mm–22 mm in diameter
Construction: Solid steel
Color: Black



STEREO MIC BAR

MY500

Application: Holds 3 mic clips
Threading: 5/8"-27
Tilt: 95°
Color: Black



MIC-EXTENSION ATTACHMENT BAR

MY550

Application: Additional 5/8"-27 end for second mic stand accessory
Threading: 5/8"-27
Length: 6"
Color: Black



CLAMP-ON ACCESSORIES HOLDER

MY570

Application: Holds studio headphones, cables, or small instruments
Dimensions: 3" (L) x 3.5" (W)
C-Clamp: Fits shafts 0.5"–1"
Color: Black



DELUXE STEREO MIC BAR

MY700

Application: Holds up to 6 mic clips
Angle Adjustment: 0°–45°
Threading: 5/8"-27
Length: 16"
Color: Black



TABLE / STAND MIC CLAMP

TM01

Clamp: 0.625"–1.625"
Threading: 5/8"-27
Color: Black and chrome



TABLETOP MIC CLAMP

TM03

C-Clamp Accepts: 0.625"–1.625"
Threading: 5/8"-27
Color: Black



MOST POPULAR

6" GOOSENECK

MSA9030-06B / Black MSA9030-06C / Chrome

Length: 6"
Construction: Metal
Threading: 5/8"-27
Color: Black or chrome



MOST POPULAR

13" GOOSENECK

MSA9030-13B / Black MSA9030-13C / Chrome

Length: 13"
Construction: Metal
Threading: 5/8"-27
Color: Black or chrome



MOST POPULAR

19" GOOSENECK

MSA9030-19B / Black MSA9030-19C / Chrome

Length: 19"
Construction: Metal
Threading: 5/8"-27
Color: Black or chrome



U-MOUNT® DESK FLANGE MOUNT

UM5006

Application: Mounts u-Mount® posts and accessories to flat surfaces

Diameter: 2.25"

Threading: 5/8"-27

Color: Black

Boom Length: 19.5"

Shock pad: 3 mm

Included: 3 mounting screws



MOST POPULAR



FLANGE MOUNT

TM08B / Black

TM08C / Chrome

Application: Mounts mic clips to flat surfaces

Threading: 5/8"-27

Shock Pad: 3 mm

Diameter: 2.3"

Colors: Black or Chrome



MOST POPULAR



MOST POPULAR

3/8" MALE TO 5/8" FEMALE MIC SCREW ADAPTER

MA-100 / Chrome

MA-100B / Black

Application: Convert 3/8" male threading to 5/8" female threading

Color: Black or chrome



5/8" MALE TO 3/8" FEMALE MIC SCREW ADAPTER

MA-200

Application: Convert 3/8" male threading to 5/8" female threading

Color: Chrome



MOST POPULAR

5/8"-27 FEMALE TO 1/4"-20 MALE ADAPTER

MA-125

Application: Mounts camera to mic stand

Male Threading: 1/4"-20

Female Threading: 5/8"-27

Color: Chrome



5/8" MALE TO 3/8" FEMALE SCREW ADAPTER


MA-300

Application: Convert 5/8" male threading to 3/8" female threading

Quantity: 2 per package

Color: Chrome





ISOLATION SHIELD

ASMS4730

Application: Acoustic Shield

Dimensions: 18 1/2" x 12" x 2"

Color: Black and chrome

Weight: 4.5 lb



ISOLATION SHIELD

ASMS3000

Dimensions: 22.8" (W) x 11" (L)

Depth Adjustment: 5"–6" from mic stand

Construction: Acoustic EVA Foam / metal

Includes: 3/8" adapter

Weight: 2.5 lb

Color: Black





MOST POPULAR

QUICK-RELEASE MIC ADAPTER

QK-2B / Black

QK-2C / Chrome

Application: Push-button quick-release for mic clips

Color: Black or chrome

Threading: 5/8"-27



MOST POPULAR

UNBREAKABLE DYNAMIC RUBBER MIC CLIP

MY100

Application: Flexible tapered-style mic clip for dynamic mics

Color: Black



MOST POPULAR

UNBREAKABLE WIRELESS RUBBER MIC CLIP

MY110

Expanded Maximum Diameter: 35 mm

Color: Black

Relaxed Diameter: 23 mm–18 mm



UNBREAKABLE RUBBER CONDENSER MIC CLIP

MY120

Expanded Maximum Diameter: 22 mm

Color: Black

Relaxed Diameter: 18 mm



MOST POPULAR

CLOTHESPIN-STYLE PLASTIC MIC CLIP

MY200

Expanded Maximum Diameter: 35 mm

Color: Black

Relaxed Diameter: 23 mm–18 mm



CONDENSER SHOCK MOUNT MIC CLIP

MY320

Diameter: 20 mm

Color: Black



WIRELESS MIC CLIP

MY230

Construction: Durable hard outer plastic casing; Medium gauge spring

Expanded Maximum Diameter: 60mm

Relaxed Diameter: 30mm

Includes: 3/8" adapter

Color: Black



EURO-STYLE PLASTIC MIC CLIP

MY250

Diameter: 25 mm

Color: Black



ELLIPTICAL MIC CLIP

MY251

Diameter: 25 mm

Color: Black



MOST POPULAR

DYNAMIC SHOCK MOUNT MIC CLIP

MY325

Diameter: 25 mm

Color: Black



MOST POPULAR

WIRELESS SHOCK MOUNT MIC CLIP

MY330

Diameter: 30 mm

Color: Black



NEW PRODUCT

DUAL MIC BAR FOR AMPS

MY650

Vertical Length Adjustment: 6"–12"

Mic Stem Threading: 5/8"-27

Sliding Mic Stem Adjustment: 0"–6"

Construction: Steel / EVA

Under Amp Support Bar Length: 9"

Color: Black and chrome

Swiveling Mic Bars Angle Adjustment: 0°–90°



SHOCK MOUNT FOR STUDIO MICS
MY410 / Black

Diameter: Accepts 42 mm–48 mm
Color: Black
Threading: 5/8"-27



SHOCK MOUNT FOR STUDIO MICS
MY410CG / Champagne

Diameter: Accepts 42 mm–48 mm
Color: Champagne
Threading: 5/8"-27



SHOCK MOUNT FOR STUDIO MICS
MY420

Diameter: Accepts 19 mm–30 mm
Color: Black
Threading: 5/8"-27



SHOCK MOUNT FOR STUDIO MICS (55 MM–60 MM)
MY430

Diameter: Accepts 55 mm–60 mm
Color: Black
Threading: 5/8"-27



SHOCK MOUNT
MY440

Diameter: Medium (48-54mm)
Color: Black
Threading: 5/8"-27



4" POP BLOCKER
ASVS4-B

Application: Improves vocal recordings
Clamp: Clothespin style
ASVS4-B Diameter: 4"
Construction: Nylon screen
Color: Black



6" POP BLOCKER
ASVS6-B

Application: Improves vocal recordings
Clamp: Clothespin style
ASVS4-B Diameter: 6"
Construction: Nylon screen
Color: Black



POP BLOCKER WITH CLAMP AND GOOSENECK
ASVS6-GB

Application: Improves vocal recordings
Construction: Nylon screen
Diameter: 6"
Color: Black
Clamp: C-clamp with 11.5" gooseneck



BROADCAST MIC BOOM ARM
MBS5000
(PAGE 16)

CLOTHESPIN-STYLE PLASTIC MIC CLIP
MY200
(PAGE 24)



DUAL-SCREEN POP BLOCKER
ASFSS6-GB

Application: Improves vocal recordings
Diameter: 6"
Clamp: C-clamp with 11.5" gooseneck
Construction: Dual nylon screens
Color: Black



POP BLOCKER FILTERS FOR ASVSR6-GB
ASVS6R3

Diameter: 6"
Construction: Nylon screen
Color: Black



METAL POP BLOCKER
ASVSM5-B

Screen Diameter: 5.38"
Clamp Opening: Up to 1"
Gooseneck Length: 13"
Clamp Style: C
Construction: Metal



WINDSCREEN FOR PENCIL MICS
ASWS40B

Application: Reduce wind, breath, and popping noises
Size: Fits most standard headset mics
Material: Flexible foam
Color: Black





BLACK WINDSCREEN PACK
ASWS58B5 / 5-Pack
ASWS58B9 / 9-Pack


Application: Reduce wind, breath, and popping noises
Size: Fits most standard handheld mics
Material: Flexible foam
Color: Black





COLOR WINDSCREEN PACK
ASWS58C5 / 5-Pack
ASWS58C9 / 9-Pack

Application: Reduce wind, breath, and popping noises
Size: Fits most standard handheld mics
Material: Flexible foam
Color: Various



WINDSCREEN FOR DYNAMIC MICS

- ASWS58-B / Black
- ASWS58-BL / Blue
- ASWS58-Y / Yellow
- ASWS58-GRN / Green
- ASWS58-R / Red
- ASWS58-P / Purple
- ASWS58-O / Orange
- ASWS58-GRY / Gray

Application: Reduce wind, breath, and popping noises
Size: Fits most standard handheld mics
Material: Flexible foam

MOST POPULAR



WINDSCREENS FOR HEADSET MICROPHONES
ASWS20N10

Application: Reduce wind, breath, and popping noises
Size: Fits most standard headset mics
Material: Flexible foam
Color: Tan



WINDSCREENS FOR HEADSET MICROPHONES
ASWS20B10

Application: Reduce wind, breath, and popping noises
Size: Fits most standard headset mics
Material: Flexible foam
Color: Black



WINDSCREENS FOR GOOSENECK MICROPHONES
ASWS30-B

Application: Reduce wind, breath, and popping noises
Size: Fits most standard gooseneck mics
Material: Flexible foam
Color: Black



WINDSCREEN
ASWSSM7

Application: Replacement for Shure SM7B mics
Size: Fits SM7 microphone
Material: Flexible foam
Color: Black





NEW PRODUCT

DUAL-MIC HOLDER
MSA1000

Construction: Aluminum and Silicone
Clamp Opening: 0.25"–1.6"
Plate Dimensions: 5.5" (L) x 2.5"
Mic Slot Inner Diameter: 1.5"
Mic Stand Socket Threading: 5/8"-27
Color: Black
Includes: Wall-mounting hardware



MOST POPULAR

STEEL-MESH MIC GRILLE
SP58 / Chrome

Application: Replacement mic grille
Fits: Standard dynamic mics
Internal Material: Acoustic foam
Color: Chrome
Outer Material: Steel wire mesh



MOST POPULAR

MULTI-MIC HOLDER
MSA2700

Dimensions: 6.75" x 7.5"
Construction: Aluminum
Threading: 5/8"-27
Color: Black
Includes: 3/8" adapter



MIC BAG FOR MICS AND ACCESSORIES
MB7006

Application: Holds 6 standard or wireless handheld mics
Materials: Nylon / foam
Dimensions: 15" (L) x 11.5" (W) x 10" (H)
Color: Black



WIRELESS TRANSMITTER POUCH WITH GUITAR STRAP
MA1335

Application: Attaches wireless transmitters to strap or belt
Dimensions: Fits 1" (W) x 3" (L) x 3.5" (D) transmitter
Material: Water-resistant neoprene
Color: Black
Large Loop: Fits belts and straps up to 1.75"
Strap Length: 32"–55"
Small Loop: Fits belts up to 0.75"



WIRELESS TRANSMITTER BODY PACK
MA1435

Application: Secures a wireless transmitter to a performer
Dimensions: Fits 1" (W) x 3" (L) x 3.5" (D) transmitter
Material: Water-resistant neoprene
Color: Black
Belt Fastener: Hook and loop
Belt Size: 24"–46"



CARRY BAG FOR WIRELESS MICS
MB5002

Application: Wireless mic protection/transportation
Fits: 2 wireless units
Exterior Dimensions: 15" (W) x 11" (H) x 3" (D)
Color: Black
Interior Transmitter Section Dimensions: 7.5" (W) x 2.5" (H) x 11" (D)
Interior Mic/Battery Pack Holder Dimensions: 14" (W) x 5.5" (H) x 0.5" (D)
Construction: Heavy-duty nylon/EVA foam padding



TRIPOD MIC STAND BAG
MSB6000

Application: Holds 6 tripod mic stands with booms
Materials: Nylon
Dimensions: 39" (L) x 9.5" (W) x 5" (H)
Color: Black



MIC STAND BAG
MSB-6500

Application: Holds 3 round-or hex-base mic mic stands with shafts and booms
Materials: Nylon
Dimensions: 37" (L) x 12.5" (W) x 3.75" (H)
Color: Black



IMPRINTABLE ITEM

CLAMP-ON BEVERAGE HOLDER
MSA5050

Application: Beverage holder attachment
Dimensions: 3" (L) x 3.5" (H)
Material: Neoprene
Fits: Standard dynamic mics
Clamp: Fits tubing 3/8"–1"
Color: Black



CLAMP-ON SHEET MUSIC BOOKPLATE FOR MIC STANDS
SMC1500

Dimensions: 18" (W) x 9.25" (H)
Support Arm Length: 6.6"
Lip Depth: 1.5"
Color: Black



PLATFORM FOR MIC STAND
MSA6000

Application: Converts mic stand into monitor stand
Dimensions: 9" (W) x 9" (L)
Weight Capacity: 12 lb
Weight: 2 lb
Threading: 5/8"-27
Construction: Steel
Color: Black



U-MOUNT® CLAMP-ON BOOKPLATE
MSA7011

Application: Sheet music attachment for mic stand
Bookplate Dimensions: 12.25" (W) x 10.625" (H) with 1" lip
Mounting Bar Length: 9" (8" mounted from stand)
Clamp: Accepts tubing up to 0.75"
Construction: Steel
Color: Black



U-MOUNT® MIC STAND TRAY
MST1000

Application: Holds small accessories, devices, and additional mics
Tray Dimensions: 6" (W) x 9" (L)
Mounting Bar Length: 9" (8" mounted from stand)
Mount: Accepts round tubing up to 0.75"
Threading: 5/8"-27
Color: Black
Material: Steel



LAPTOP MOUNT
MSA5000

Application: Device tray connects to mic stand
Width Adjustment: 14"–16.5"
Included: (2) 7" self-stick non-slip strips
Threading: 5/8"-27
Weight Capacity: 12 lb
Depth: 10"
Construction: Steel
Color: Black



GIG RIDER
GR9000

Application: Protects and transports 6 mic stands, 2 speaker stands, 6 microphones, and cables
Main Bag Dimensions: 42" (L) x 22" (W) x 10" (D)
Front Pouch Dimensions: 12" (L) x 12" (W) x 3" (D)
Materials: Nylon
Color: Black








MOST POPULAR


SINGLE-X KEYBOARD STAND
KS7190

Application: Small-format keyboards
Height Adjustment: 27"–38"
Tubing: 1"
Base Spread: 11"–31"
Arm Depth: 13.25"
Construction: Bolted metal
Weight Capacity: 90 lb
Color: Black




SINGLE-X BULLET NOSE KEYBOARD STAND WITH LOK-TIGHT CONSTRUCTION
KS8190X

Application: Small-format keyboards
Height Adjustment: 27"–38"
Arm Depth: 13.75"
Weight Capacity: 100 lb
Tubing: 15 mm x 30 mm
Base Spread: 11"–31"
Construction: Bolted metal
Color: Black



ERGO-LOK SINGLE-X KEYBOARD STAND WITH LOK-TIGHT CONSTRUCTION
KS8290X

Application: Large-format keyboards
Base Spread: 12"–32"
Tubing: 30 mm
Weight Capacity: 275 lb
Height Adjustment: 27"–38"
Arm Depth: 13.75"
Construction: Bolted metal
Color: Black



ERGO-LOK SINGLE-X KEYBOARD STAND WITH WELDED CONSTRUCTION

KS7290

Application: Large-format keyboards
Height Adjustment: 27"–38"
Arm Depth: 13.75"
Construction: Welded metal
Weight Capacity: 275 lb
Base Spread: 12"–32"
Tubing: 30 mm
Color: Black



DOUBLE-X KEYBOARD STAND WITH BOLTED CONSTRUCTION

KS7171

Application: Small-to-medium-format keyboards
Height Adjustment: 27"–39"
Tubing: 1"
Base Spread: 11"–31"
Arm Depth: 13.25"
Construction: Bolted metal
Weight Capacity: 120 lb
Color: Black



MOST POPULAR

DOUBLE-X BULLET NOSE KEYBOARD STAND WITH LOK-TIGHT CONSTRUCTION

KS8191XX

Application: Medium-format keyboards
Height Adjustment: 27"–39"
Arm Depth: 14"
Weight Capacity: 200 lb
Tubing: 18 mm
Base Spread: 11"–31"
Construction: Bolted metal
Color: Black



MOST POPULAR

DOUBLE-X KEYBOARD STAND

KS7191

Application: Small-to-medium-format keyboards
Height Adjustment: 27"–39"
Tubing: 1"
Base Spread: 11"–31"
Arm Depth: 13.25"
Construction: Welded metal
Weight Capacity: 120 lb
Color: Black



ERGO-LOK DOUBLE-X KEYBOARD STAND WITH LOK-TIGHT CONSTRUCTION

KS8291XX

Application: Large-format keyboards
Base Spread: 12"–32"
Tubing: 30 mm
Weight Capacity: 320 lb
Height Adjustment: 27"–38"
Arm Depth: 14.125"
Construction: Bolted metal
Color: Black



ERGO-LOK DOUBLE-X KEYBOARD STAND WITH WELDED CONSTRUCTION

KS7291

Application: Large-format keyboards
Height Adjustment: 27"–38"
Arm Depth: 14.25"
Construction: Welded metal
Weight Capacity: 320 lb
Base Spread: 12"–32"
Tubing: 30 mm
Color: Black



DOUBLE-X ERGO-LOK KEYBOARD STAND WITH SECOND TIER

KS7292

Application: Multiple keyboards
Base Spread: 12"–32"
Lower Arm Depth: 14.25"
Color: Black
Weight Capacity: 320 lb
Height Adjustment (First Tier): 27"–38"
Upper Arm Depth: 15.5"



FOLDING-Z KEYBOARD STAND

KS7350

Application: Large-format keyboards
Construction: Welded metal
Telescoping Width Adjustment (outer): 21"–36"
Telescoping Width Adjustment (inner): 19"–34"
Structural Tubing: 1" x 2"
Weight Capacity: 375 lb
Color: Black



FOLDING-Z KEYBOARD STAND WITH SECOND TIER

KS7365EJ

Application: Multiple keyboards
Outer Width Adjustment: 21"–36"
Inner Width Adjustment: 19"–34"
Structural Tubing: 1" x 2"
Second Tier Weight Capacity: 60 lb
Color: Black
First Tier Depth: 16.5"
Second Tier Depth: 16.25"
Construction: Welded metal
Total Weight Capacity: 400 lb
Padding: EVA rubber



SINGLE TIER Z KEYBOARD STAND

KS1355

Height Adjustment: 20.5"–33.5"
Total Weight Capacity: 400 lb
Structural Tubing: 1.4" x 1.4"
Width Adjustments: 21"–34"
Padding: EVA rubber
Color: Black



Z KEYBOARD STAND WITH SECOND TIER

KS1365

Application: Multiple keyboards
Width Adjustment: 21"–36"
First Tier Height Adjustment: 20.5"–33.75"
Second Tier Height Adjustment: 16.5"–18" above first tier
Second Tier Depth: 14.3"
Second Tier Weight Capacity: 60 lb
Total Weight Capacity: 400 lb
Total Depth: 18.5"
First Tier Depth: 16"
Structural Tubing: 1.4" x 1.4"
Padding: EVA rubber
Color: Black





THREE-TIER A-FRAME KEYBOARD STAND
KS7903

Application: Multiple keyboards
Base Width: 26" x 58"
Construction: Bolted metal
Weight Capacity: 40 lb per tier (120 lb total)
Height: 54"
Internal Width: 51"
Color: Black



QUANTUM CORE COLUMN KEYBOARD STAND
KS9102

Application: Multiple keyboards
Base Spread: 32"
Weight Capacity: 125 lb per tier (250 lb total)
Height Adjustment: 10"–44"
Weight: 17 lb
Color: Black



PLATFORM-STYLE KEYBOARD STAND
KS7150

Application: Large-format keyboards, mixers, and DJ coffin cases
Width Adjustment: 29"–43.5"
Construction: Welded and bolted metal
Folded Dimensions: 12.625" (W) x 29" (L) x 3.5" (D)
Height Adjustment: 26"–43"
Depth: 12.5"
Weight Capacity: 230 lb
Color: Black



MULTI-FUNCTION STAND
WS8540

Application: Medium-format keyboards, mixers, and DJ coffin cases
Height Adjustment: 24"–32.5" (8 set positions)
Depth Adjustment: 14"–16.5"
Construction: Welded and bolted steel
Tubing: 30 mm
Weight Capacity: 300 lb
Width Adjustment: 16"–29"
Color: Black



MULTI-FUNCTION STAND
WS8550

Application: Large-format keyboards, mixers, and DJ coffin cases
Height Adjustment: 24"–33" (8 set positions)
Width Adjustment: 29"–47"
Construction: Welded and bolted steel
Tubing: 30 mm
Weight Capacity: 250 lb
Depth Adjustment: 15"–27"
Color: Black



COMPACT MIDI / SYNTHESIZER UTILITY STAND
KS6150

Application: Mini synths, arrangers, MIDI controllers, effects processors, digital DJ tools, samplers, tablets, and laptops
Height Adjustment: 23"–36"
Tray Depth: 10"
Base Dimensions: 12" x 16"
Weight Capacity: 35 lb
Color: Black
Tray Width Adjustment: 16"–29"
Platform Angle Adjustment: 0°–15°
Construction: Steel
Weight: 17.5 lb



KEYBOARD STAND AND BENCH PACK
KPK6500

Application: Small-format keyboards
Height Adjustment: 27"–38"
Width Adjustment: 29"–47"
Construction: Welded and bolted steel
Tubing: 15 mm x 30 mm
Weight Capacity: 90 lb
Depth Adjustment: 15"–27"
Color: Black



KEYBOARD STAND AND BENCH PACK WITH KEYBOARD SUSTAIN PEDAL
KPK6520

Application: Large-format keyboards
Height Adjustment: 24"–33" (8 set positions)
Construction: Welded and bolted steel
Color: Black
Width Adjustment: 29"–47"
Depth Adjustment: 15"–27"
Weight Capacity: 250 lb



KEYBOARD STAND AND BENCH PACK WITH KEYBOARD SUSTAIN PEDAL
KPK6550

Application: Large-format keyboards
Height Adjustment: 24"–33" (8 set positions)
Construction: Welded and bolted steel
Color: Black
Width Adjustment: 29"–47"
Depth Adjustment: 15"–27"
Weight Capacity: 250 lb
Tubing: 30 mm



UNIVERSAL SECOND TIER FOR X-STYLE KEYBOARD STANDS
KSA7500

Application: Add a second keyboard to your stand
Compatibility: 1" or 30 mm round or square tubing
Weight Capacity: 60 lb



SECOND TIER FOR KS7350 FOLDING-Z KEYBOARD STAND
KSA7550

Application: Add a second keyboard to your stand
Compatibility: KS7350 Folding-Z Stand
Weight Capacity: 60 lb
Height Adjustment: 9"–14"
Angle Adjustment: Up to 30°



ON-STAGE ORIGINAL

DELUXE KEYBOARD TIER
KSA8500

Application: Holds multiple keyboards, mixers, laptops, and other gear when used with keyboard stands with 1" or 30 mm round or square tubing, including On-Stage Z stands
Adjustability: All independent arms have adjustable height, angle, depth, and width
Weight Capacity: 66 lb (33 lb per set of arms)



UTILITY TRAY FOR X-STYLE KEYBOARD STANDS
KSA7100

Application: Fits on all On-Stage X-style keyboard stands to hold mixers, laptops, effects, drum machines, and other devices
Attachment: Brackets adjust to arm spreads from 11.75" to 22.75"
Tray Dimensions: 28" (L) x 14.5" (W)
Includes: (2) strips of EVA rubber
Weight Capacity: 100 lb



UNIVERSAL ADAPTER FOR KEYBOARD MIC AND TABLET
KSA7575+

Application: Add a mic or tablet mount to keyboard stands
Compatibility: Any keyboard stand with 1" or 30 mm round or square tubing
Weight Capacity: 10 lb
Support Arm Length: 6.125"
Threading: 5/8"-27



KEYBOARD ACCESSORY TRAY
KSA8585


Application: Add a small mixer, drum machine, synth module, or other device to your keyboard stand
Tray Height (from keyboard stand): 10"
Includes: (2) strips of hook and loop
Tray Dimensions: 12" (L) x 8" (W)
Tray Rotation Angle: 180°





SYNTH RACK
SR5

Dimension: 21.75" (L) x21" (W) x 7" (H)
Comes with: Carrying bab
Shelf Width: 7"
Color: Black



DELUXE FLIP-TOP
KEYBOARD / PIANO BENCH
KB8904B



FLIP-TOP KEYBOARD / PIANO BENCH
KB8902B

Construction: Wood / vinyl
Bench Seat: 13.5" (W) x 22.5" (L)
Weight Capacity: 240 lb
Height: 19.5"
Cushion Thickness: 1.5"



DELUXE FLIP-TOP KEYBOARD / PIANO BENCH
KB8904B

Construction: Wood / vinyl
Bench Seat: 13.5" (W) x 29.5" (L)
Weight Capacity: 240 lb
Height: 19.5"
Cushion Thickness: 1"
Color: Black satin



MOST POPULAR

THREE-POSITION X-STYLE KEYBOARD / PIANO BENCH
KT7800

Height Adjustment: 18.75"–20.5"
Cushion Thickness: 2"
Construction: Welded metal
Bench Seat Size: 12" (W) x 17" (L)
Tubing: 0.75" x 1.5"
Weight Capacity: 300 lb



MOST POPULAR

KEYBOARD / PIANO BENCH
KB8802B / Black
KB8802W / White

Construction: Wood / vinyl
Bench Seat: 13.5" (W) x 22.5" (L)
Weight Capacity: 240 lb
Height: 19.5"
Cushion Thickness: 1.5"



HEIGHT-ADJUSTABLE PIANO BENCH
KB9503B

Height Adjustment: 17"–22"
Weight Capacity: 330 lb
Color: Black gloss



MOST POPULAR

DELUXE X-STYLE KEYBOARD / PIANO BENCH
KT7800+

Height Adjustment: 19.5"–24.5"
Cushion Thickness: 3"
Color: Black
Weight Capacity: 360 lb
Construction: Welded metal
Bench Seat Size: 12.5" (W) x 23.5" (L)



ORGAN BENCH
OB1

Height: 22"
Weight Capacity: 330 lb
Seat Dimensions: 35" (L) x 14.5" (W)
Weight: 21 lb



HEIGHT-ADJUSTABLE KEYBOARD BENCH
KB5503B

Height Adjustment: 17.5"–23.5"
Cushion Thickness: 3"
Seat Dimensions: 25" (L) x 14.25" (W)
Weight Capacity: 330 lb



LED PIANO LAMP
LED8800

LED Quantity: 18
Modes: Bright, low, off
Power Requirement: 5V (power adapter included)
Maximum Height: 15"
Base Diameter: 5.6"
Color: Black



MOST POPULAR

KEYBOARD SUSTAIN PEDAL
KSP20

Cord Length: 6'
Connector: 1/4"
Construction: Durable hard outer plastic casing / medium-gauge spring
Dimensions: 2.75" (W) x 1.25" (H) x 3.875" (L)



MOST POPULAR

KEYBOARD SUSTAIN PEDAL
KSP100

Cord Length: 6'
Connector: 1/4"
Foot Pedal: Chrome with removable scratch-resistant protective cover that doubles as a non-slip grip



EXPRESSION PEDAL
KEP100

Application: Control synth-effects
Compatibility: Most keyboards and synthesizers
Dimensions: 8.25" (L) x 3.5" (W) x 2" (D)
Color: Black / gray



POWER ADAPTER
OSADE95

Application: Keyboard power supply
Compatibility: Most Casio keyboards, including CTK, LD, and LK models
Cord Length: 67"
Input: 120 V AC 60 Hz
Output: 9 V DC 1000 mA
Plug Type: Right angle



POWER ADAPTER
OSPA130

Application: Keyboard power supply
Compatibility: Most battery-powered Yamaha keyboards
Cord Length: 70"
Input: 120 V AC 60 Hz
Output: 12 V DC 1000 mA



61-KEY KEYBOARD DUST COVER
KDA7061B / Black
KDA7061W / White
KDA7061G / Gray

Application: Keyboard protection
Material: Spandex
Size: 61–76 key



88-KEY KEYBOARD DUST COVER
KDA7088B / Black
KDA7088W / White
KDA7088G / Gray

Application: Keyboard protection
Material: Spandex
Size: 88 key



KEYBOARD STAND BAG
KSB-6500

Application: Holds On-Stage KS7350, KS7365EJ, and KS7150 keyboard stands
Material: Heavy-duty padded nylon
Dimensions: 30" (L) x 16" (H) x 8.75" (D)



49-KEY KEYBOARD BAG
KBA4049

Application: 49-key keyboards
Padding: 0.75" foam
Interior Dimensions: 35.5" (L) x 12.75" (H) x 5" (D)
Material: Weather-resistant nylon
Transportation: Backpack-style straps and carrying handles
Accessory Pocket: 21" (L) x 12" (H) x 2" (D)



61-KEY KEYBOARD BAG
KBA4061

Application: 61-key keyboards
Padding: 0.75" foam
Interior Dimensions: 39" (L) x 12.2" (H) x 4" (D)
Material: Weather-resistant nylon
Transportation: Backpack-style straps and carrying handles
Accessory Pocket: 21" (L) x 12" (H) x 2" (D)



88-KEY KEYBOARD BAG
KBA4088

Application: 88-key keyboards
Padding: 0.75" foam
Interior Dimensions: 58.5" (L) x 15" (H) x 5.1" (D)
Material: Weather-resistant nylon
Transportation: Carrying handle and wheels
Accessory Pocket: 28" (L) x 12" (H) x 2" (D)





HANDHELD TAMBOURINE
TMB3200

Dimensions: 8" (L)
Jingles: 0.8 mm stainless steel
Color: Black
Shape: Semicircle
Pitch: High



IMPRINTABLE ITEM

24 PACK OF EGG SHAKERS
HPS1240

Shaker Dimensions: 40 mm (D), 56 mm (H)
Colors: Black, blue, yellow, green, purple, red
Shaker Quantity: 24



5" COWBELL
HPCB2500

Dimensions: 5" (L)
Construction: Steel
Clamp Size: Accepts percussion rods 8.5-9.5 mm in diameter
Pitch: Medium
Color: Black



STANDARD CABASA
HPCS3500

Size: Standard
Cylinder Diameter: 4.5"
Bead Diameter: 5 mm
Handle Length: 4.5"
Bead Loop Quantity: 10
Construction: Steel cylinder and bead loops, wood frame and handle



WOODBLOCK
HPWB2700

Dimensions: 7" x 2.6" x 1.4"
Pitch: High
Clamp Size: Accepts percussion rods 8.5-9.5 mm in diameter
Mount Construction: Steel
Block Construction: Balata Wood



FIXED-SNARE CAJON
WFC3200

Bag Dimensions: 11.75" (W) x 18.88" (H) x 11.75" (D)
Construction: Birch wood / foam pad / rubber feet
Includes: Gig bag, adjustable snare wire, removable foam
Hole Diameter: 4.5"



STUDENT SNARE KIT
SSK2500

Snare Dimensions: 5.5" x 14"
Drum Sticks: 5B
Snare Stand Height Adjustment: 21"–27"
Includes: Snare Drum, Snare Stand, (2) drum sticks, rolling bag



DRUM PRACTICE PAD
DFP2800

Application: Quiet drum practice
Playing Surface Diameter: 7.38"
Construction: Rubber / Wood / EVA
Mounting Thread Size: M6
Diameter: 8"



IMPRINTABLE ITEM

DRUM PRACTICE PAD WITH STAND AND BAG
DFP5500

Height Adjustment: 22"–37"
Base Spread: 12"–27"
Angle Adjustment: 80°
Bag Construction: 600D nylon
Bag Dimensions: 24.25" (L) x 12.5" (W)
Diameter: 8"



AWARD-WINNER

BELL KIT
BSK2500

Height Adjustment: 36"–48"
Base Spread: 22"
Bag Dimensions: 28.5" (L) x 16" (W) x 5.5" (D)
Color: Black
Includes: (1) 2.5 octave bell set, tripod stand with music holder, 8" drum practice pad, (2) 5B wood-tip drumsticks, (2) double-ended mallets, carry bag



DOUBLE-BRACED DRUM THRONE
MDT2

Seat Dimensions: 11" diameter, 2.4" thick
Base Spread: 18.11"
Height Adjustment: 19.5"–24.4" (5 settings)
Weight Capacity: 325 lb
Construction: Foam cushion, leatherette shell, solid-steel base, rubber feet



HEAVY-DUTY DRUM THRONE
MDT4

Seat Dimensions: 16" x 14" x 3.5"
Base Spread: 18.9"
Color: Chrome / black
Height Adjustment: 18"–22"
Weight Capacity: 330 lb
Construction: Leatherette / foam / plywood / aluminum alloy / iron



IMPRINTABLE ITEM



IMPRINTABLE ITEM



IMPRINTABLE ITEM

HICKORY DRUM STICKS

NYLON TIP

HN2B
Size: 2B
Quantity: 12 pairs

HN5B
Size: 5B
Quantity: 12 pairs

HN5A
Size: 5A
Quantity: 12 pairs

HN7A
Size: 7A
Quantity: 12 pairs

WOOD TIP

HW2B
Size: 2B
Quantity: 12 pairs

HW5B
Size: 5B
Quantity: 12 pairs

HW5A
Size: 5A
Quantity: 12 pairs

HW7A
Size: 7A
Quantity: 12 pairs

MAPLE DRUM STICKS

NYLON TIP

MN2B
Size: 2B
Quantity: 12 pairs

MN5B
Size: 5B
Quantity: 12 pairs

MN5A
Size: 5A
Quantity: 12 pairs

MN7A
Size: 7A
Quantity: 12 pairs

WOOD TIP

MW2B
Size: 2B
Quantity: 12 pairs

MW5B
Size: 5B
Quantity: 12 pairs

MW5A
Size: 5A
Quantity: 12 pairs

MW7A
Size: 7A
Quantity: 12 pairs

MAPLE DRUM STICKS (ROUND TIP)
MWSD1

Style: SD1
Tip: Round / wood
Construction: Solid maple
Length: 16.3"
Grip Diameter: 0.5"
Quantity: 12 pairs (24 sticks)





WOOD CAJON BRUSHES
WCB100

Handle Length: 8.5"
Bristle Length: 6"
Total Length: 14.5"
Material: Maple wood / nylon bristles



PERCUSSION MALLETS
WPM100

Length: 12.5"



FELT MALLETS
WPM200

Length: 15"
Weight: 4.2 oz
Handle Diamenter: 0.5"
Felt Tip Diameter: 1.5"



IMPRINTABLE ITEM

TWO-POCKET DRUM STICK BAG
DSB6500

Dimensions: 17" (L) x 4.5" (W) x 3" (D)
Material: Nylon
Color: Black



IMPRINTABLE ITEM

THREE-POCKET DRUM STICK BAG
DSB6700

Extended Dimensions: 15.5" (W) x 18.25" (L)
Material: Nylon
Color: Black



CLAMP-ON DRUM STICK HOLDER
DA-100

Dimensions: 11" (L)
Opening Diameter: 3.25"
Construction: Neoprene / steel
Color: Black



YARN MALLETS
WPM350

Hardness: Medium hard
Length: 16"
Diameter (stick): 0.3"
Diameter (head): 1.4"
Construction: Maple handles / yarn-wrapped cork heads



NEW PRODUCT

TIMBALE STICKS
HWTS1

Length: 16"
Material: Hickory wood



STANDARD PADDED DRUM BAG SET
DPB3000

Dimensions: 22" x 18" (bass), 12" x 10" (tom), 13" x 11" (tom), 16" x 16" (floor tom), 14" x 5.5" (snare)
Material: Heavy-duty nylon exterior / foam padding
Color: Black



STUDENT PERCUSSION PACK (BEGINNER)
SPP1

Bag Dimensions: 19" (L) X 8" (W)
Mallet Tips: Rubber
Pocket Dimensions: 13" (L) x 8" (W)
Material of Sticks: Maple
Includes: SD1 drumsticks, Rubber Mallets, a drum key, an educational poster, and a three pouch bag



STUDENT PERCUSSION PACK (INTERMEDIATE)
SPP2

Bag Dimensions: 19" (L) X 8" (W)
Mallet Tips: Rubber, Felt, Yarn
Pocket Dimensions: 13" (L) x 8" (W)
Material of Sticks: Maple
Includes: SD1 drumsticks, rubber mallets, yarn mallets, felt mallets, a drum key, an educational poster, and a three pouch bag



DRUM HARDWARE BAG
DHB6000

Dimensions: 42.7 (L) x 13.3 (W) x 12.4 (H)
Product Weight: 13.3 lb
Weight Capacity: 100 lb
Material: Heavy-duty nylon



LOW VOLUME CYMBAL PACK
LVCP5000

Size: 14" (pair), 16", 18", 20"
Construction: Stainless steel
Finish: Polished silver



PROP 65 WARNING*

DELUXE CYMBAL BAG
CB4000

Large Pocket Diameter: 23.25" with 3.75" maximum opening
Small Pocket Diameter: 16.5" with 1.55" maximum opening
Includes: 3 felt spacers
Material: Heavy-duty nylon



PERCUSSION MOUNT
DPM2200

Construction: Chrome-plated steel
Color: Chrome / Black
Eyebolt Size: Fits percussion rods up to 11 mm in diameter

PERCUSSION ROD, STRAIGHT
PRL1010

Diameter: 9.5 mm
Construction: Chrome-plated steel
Dimensions: 13" (L)



PERCUSSION L ROD
PRL1020

Diameter: 9.5 mm
Construction: Chrome-plated steel
Dimensions: 6.25" (L) x 5.25" (W)



PERCUSSION Z ROD
PRZ1030

Diameter: 9.5 mm
Construction: Chrome-plated steel
Dimensions: 13" (L) x 3.5" (W)

⚠ *This warning applies to products that can cause exposure to chemicals including Bis(2-ethylhexyl) phthalate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to P65Warnings.ca.gov



20-STRAND REPLACEMENT SNARE WIRES
DSW1420

Dimensions: 14" (L)
Coils: Medium-gauge 0.6 mm
Construction: 20-strand steel wires / chrome-plated end clips



MOST POPULAR

NONSLIP DRUM MAT
DMA4450 / 4' (L) x 4' (W)
DMA6450 / 6' (L) x 4' (W)
DMA7550 / 7' (L) x 5' (W)

Each Size Includes: (1) Nylon carry bag and (2) hook and loop ties
Construction: Nonslip PVC
Color: Black



DRUM SET DUST COVER
DTA1088

Dimensions: 80" (W) x 108" (L)
Construction: Waterproof nylon
Color: Black



DRUM GELS
DG600

Quantity: 6
Color: Black
Thickness: 3 mm



DRUM RIM MIC CLIP
DM01

Mic Mount Threading: 5/8"-27
Color: Black



DRUM RIM MIC CLIP
DM50

Mic Mount Threading: 5/8"-27
Color: Black



PROP 65 WARNING*

DRUM KEY P.O.P. CONTAINER
DKA100

Size: Fits all standard 0.25" square-socket tension rods

Construction: Chrome plated metal



PERCUSSION TRAY WITH SOFT CASE
DPT4000

Tray Dimensions: 18" x 10"

Accessory-Mounting Spaces: 2

Base Threading: 5/8"-27 female

Soft Case Dimensions: 20" x 14" x 4"

Weight Capacity: 25 lb

Color: Black

Construction: Steel



PERCUSSION TABLE
DPT5500B

Height Adjustment: 27.5"–40.5"

Platform Dimensions: 18.5" (L) x 18.5" (W)

Color: Black

Angle Adjustment: 0°–90°

Weight Capacity: 25 lb



SNARE DRUM RACK
DRS9000

Rack Dimensions: 50.5" (H) x 21.25" (W) x 23" (D)

Maximum Drum Size: 16" in diameter

Total Weight Capacity: 100 lb (90 lb combined on the crossbars plus 10 lb on the frame for hanging accessories)

Tubing Diameter: 25 mm

Base Dimensions: 18" x 21.25"

Lifestyle photo by Egil Liland from pexels.com

SERENITY
BY ON-STAGE®



NEW PRODUCT

WAVE BEAD DRUM
WBD5016

Diameter: 16"

Construction: Beechwood / goatskin / PET / steel / plastic



NEW PRODUCT

OCARINA
OC500

Key: C

Construction: Plastic

Number of Tone Holes: 12

Includes: Carry case



NEW PRODUCT

STEEL TONGUE DRUM
SD0510

Diameter: 10"

Scale: C major pentatonic

Construction: Carbon steel

Keys / Notes: 8

Includes: Rubber-tipped mallets, rubber-tipped finger, sleeves, carry bag, adhesive key labels





ON-STAGE ORIGINAL

ORCHESTRA MUSIC STAND
SM7711B

Bookplate Dimensions: 12.5" (W) x 20" (L)*
Bookplate Construction: Aluminum
Height Adjustment: 26"–48"
Base Construction: Steel
Base Spread: 19"
Leg Housing: Sheet metal
Weight Capacity: 8 lb
Color: Black

*with 2" return lip



NEW PRODUCT

ORCHESTRA MUSIC STAND
SM7712B

Bookplate Dimensions: 12.5" (W) x 20" (L)*
Bookplate Construction: Aluminum
Height Adjustment: 27"–49"
Base Construction: Steel
Base Spread: 17"
Leg Housing: Sheet metal
Weight Capacity: 8 lb
Color: Black

*with 2" return lip



MOST POPULAR

MUSIC STAND WITH TRIPOD BASE
SM7211B

Bookplate Dimensions: 13.5" (L) x 19" (W)*
Height Adjustment: 24"–45"
Leg Housing: Sheet metal
Color: Black

*with 2" return lip



MUSIC STAND WITH WIDE ROSEWOOD BOOKPLATE

SM7312W

Bookplate Dimensions: 13.5" (L) x 22" (W)*
Height Adjustment: 24"–45"
Base Spread: 18"
Color: Black and rosewood

*with 2" return lip



MOST POPULAR
IMPRINTABLE ITEM

DETACHABLE SHEET MUSIC STAND

SM7022B / Stand only SM7022BB / with Bag

Bookplate Dimensions: 16.75" (W) x 13" (H)*
Height Adjustment: 26"–42.75"
Bag Dimensions: 23.75" (L) x 6.22" (W)
Base Spread: 21.5"
Construction: Steel
Color: Black

*with 1" return lip



COMPACT SHEET MUSIC STAND

SM7122B

Bookplate Dimensions: 9" (foldable)*
Height Adjustment: 26"–40"
Construction: Steel
Base Spread: 18"–21"
Color: Black

*with 2" return lip



MOST POPULAR
IMPRINTABLE ITEM

COMPACT SHEET MUSIC STAND WITH BAG

SM7122BB

Bookplate Dimensions: 9" (foldable)*
Height Adjustment: 26"–40"
Construction: Steel
Base Spread: 18"–21"
Includes: Carrying bag
Color: Black

*with 2" return lip



IMPRINTABLE ITEM

COMPACT SHEET MUSIC STAND WITH BAG

SM7122DBB

Bookplate Dimensions: 9" (foldable)*
Height Adjustment: 26"–40"
Construction: Steel
Base Spread: 18"–21"
Includes: Carrying bag
Color: Dark Blue

*with 2" return lip



IMPRINTABLE ITEM

COMPACT SHEET MUSIC STAND WITH BAG

SM7122GRB

Bookplate Dimensions: 9" (foldable)*
Height Adjustment: 26"–40"
Construction: Steel
Base Spread: 18"–21"
Includes: Carrying bag
Color: Black

*with 2" return lip



IMPRINTABLE ITEM

COMPACT SHEET MUSIC STAND WITH BAG

SM7122NB

Bookplate Dimensions: 9" (foldable)*
Height Adjustment: 26"–40"
Construction: Steel
Base Spread: 18"–21"
Includes: Carrying bag
Color: Nickle

*with 2" return lip



IMPRINTABLE ITEM

COMPACT SHEET MUSIC STAND WITH BAG

SM7122PB

Bookplate Dimensions: 9" (foldable)*
Height Adjustment: 26"–40"
Construction: Steel
Base Spread: 18"–21"
Includes: Carrying bag
Color: Purple

*with 2" return lip



IMPRINTABLE ITEM

COMPACT SHEET MUSIC STAND WITH BAG

SM7122PKB

Bookplate Dimensions: 9" (foldable)*
Height Adjustment: 26"–40"
Construction: Steel
Base Spread: 18"–21"
Includes: Carrying bag
Color: Pink

*with 2" return lip



IMPRINTABLE ITEM

COMPACT SHEET MUSIC STAND WITH BAG

SM7122RB

Bookplate Dimensions: 9" (foldable)*
Height Adjustment: 26"–40"
Construction: Steel
Base Spread: 18"–21"
Includes: Carrying bag
Color: Red

*with 2" return lip



MOST POPULAR


IMPRINTABLE ITEM

TRIPOD-BASE SHEET MUSIC STAND WITH BAG

SM7222BB

Bookplate Dimensions: 9" (foldable)*
Height Adjustment: 20"–52"
Leg Tubing: 16 mm
Construction: Steel
Includes: Carrying bag

*with 2" return lip





NEW PRODUCT

IMPRINTABLE ITEM

SHEET MUSIC STAND WITH REMOVABLE SQUARE BOOKPLATE AND BAG

SM7033BB

Bookplate Dimensions (Unfolded): 20" (W) x 9" (H)

Maximum Base Spread: 21"	**Music-Platform Width:** 0.85"
Height Adjustment: 26"–40"	**Construction:** Steel
Tubing Diameter (Lower): 0.66"	**Color:** Black
Tubing Diameter (Upper): 0.48"	**Includes:** Carrying bag



NEW PRODUCT

IMPRINTABLE ITEM

SHEET MUSIC STAND WITH ADJUSTABLE SQUARE BOOKPLATE AND BAG

SM7133BB

Bookplate Dimensions (Unfolded): 20" (W) x 9" (H)

Maximum Base Spread: 21"	**Music-Platform Width:** 0.85"
Height Adjustment: 26"–40"	**Construction:** Steel
Tubing Diameter (Lower): 0.66"	**Color:** Black
Tubing Diameter (Upper): 0.48"	**Includes:** Carrying bag



ON-STAGE ORIGINAL

MUSIC STAND CART

SMC5000

Application: Holds 8–10 sheet music stands	**Weight Capacity:** 80 lb
Footprint: 24.5" (L) x 21.75" (W)	**Color:** Black





TALL ALTO/TENOR SAXOPHONE STAND
SXS7401B

Height Adjustment: 36"–48"
Color: Black
Base Spread: 22"



BARITONE SAXOPHONE STAND
SXS7501B

Height Adjustment: 26"–29"
Color: Black
Base Spread: 20"



FRENCH HORN STAND
FHS7201B

Tilt Angle: 20°
Material: Steel
Tubing: 1" x 1"
Color: Black



CELLO/BASS STAND
CS7201

Base Spread: 22.5"
Construction: Steel
Height Adjustment: 28"–52.5"
Padding: EVA rubber
Weight Capacity: 60 lb
Color: Black



CLARINET OR FLUTE STAND
FS7000B

Base Diameter: 6"
Color: Black
Base Construction: Weighted sand-cast metal



ALTO/TENOR SAXOPHONE STAND WITH FLUTE PEG
SXS7101B

Base Spread: 18"
Color: Black



DOUBLE SAXOPHONE AND FLUTE/CLARINET STAND
SXS7201B

Footprint Dimensions: 21" x 14"
Color: Black
Number of Instruments Held: 4



WALL-MOUNT TROMBONE HANGER
THM7000

Dimensions: 6.4" (L) x 3.3" (W) x 19.8" (H)
Weight: 1.2 lb
Weight Capacity: 40 lb
Color: Black
Includes: Mounting hardware (4 drywall screws and anchors)



TROMBONE STAND
TS7101B

Height Adjustment: 29"–47"
Color: Black
Base Spread: 22"



VIOLIN/VIOLA STAND
VS7500

Base Spread: 17.1" x 14.5"
Height: 33.2"
Yoke Height Adjustment: 15"–24.2"
Weight Capacity: 26.5 lb
Bow Hanger Height Adjustment: 15.5"–34.2"
Weight: 1.5 lb
Color: Black



TRUMPET STAND
TRS7301B

Base Spread: 13"
Color: Black





IMPRINTABLE ITEM

SHEET MUSIC STAND BAG

SMSB6500

Application: Hold 1 sheet music stand
Material: Canvas
Dimension: 23.75" x 6.22"
Color: Black



NEW PRODUCT
IMPRINTABLE ITEM

BOW BAG

BB1500

Exterior Material: 600D Nylon
Length: 30"
Foam Padding Thickness: 5 mm
Opening Diameter: 2"
Lining Construction: 210D Nylon
Color: Black





IMPRINTABLE ITEM

VIOLIN/VIOLA SHOULDER REST POUCH

VSP1000

Length: 10.75"
Material: Polyester
Weight: 0.044 lb
Width: 4.72"
Color: Black



IMPRINTABLE ITEM

VIOLIN/VIOLA SHOULDER REST BAG

VSB1200

Height: 3"
Length: 9.76"
Material: 600-D Nylon with mesh
Weight: 0.27 lb
Depth: 2.5"
Color: Black



IMPRINTABLE ITEM

FOAM SHOULDER PAD FOR VIOLIN/VIOLA (SMALL)

VSR1814

Fits: 10"–11" instruments (1/8 to 1/2 size)
Size: Small
Construction: Foam
Color: Gray



IMPRINTABLE ITEM

FOAM SHOULDER PAD FOR VIOLIN/VIOLA (MEDIUM)

VSR1234

Fits: 12"–13" instruments (1/2 to 3/4 size)
Size: Medium
Construction: Foam
Color: Gray



IMPRINTABLE ITEM

FOAM SHOULDER PAD FOR VIOLIN/VIOLA (LARGE)

VSR3444

Fits: 13"–14" instruments (3/4 to 4/4 size)
Size: Large
Construction: Foam
Color: Gray



VIOLIN HANGER FOR MUSIC STANDS

VS7200

Yoke Opening: 1.1"–1.3"
Weight Capacity: 8 lb
Clamp Size: Fits tubing 7/16"–3/4"
Color: Black
Includes: (1) u-mount clamp, (1) EVA rubber bumper, (1) bumper zip tie



NEW PRODUCT

ENDPIN ANCHOR STRAP FOR BASS/CELLO

CBS2000

Anchor Hole Diameter: 1"
Strap Width: 2"
Length Adjustment: 16.5"–30"
Color: Black



IMPRINTABLE ITEM

ENDPIN ANCHOR FOR BASS/CELLO

CBS1000

Application: Bass / cello



AWARD-WINNER

USB-RECHARGEABLE SHEET MUSIC LIGHT
LED2214

LED Color: White / red
Lamp Quantity: 1
LED Quantity: 4
Charging Time: 5–6 hours
Battery Life: 25 hours



AWARD-WINNER

DUAL USB-RECHARGEABLE SHEET MUSIC LIGHT
LED2224

LED Color: White / red
Lamp Quantity: 2
LED Quantity: 8 (4 per head)
Battery Type: Lithium-ion
Battery Life: 15 hours



CLIP-ON LED ORCHESTRA LIGHT
LED510

LED Color: White
Lamp Quantity: 1
LED Quantity: 10
Power: AC adapter (included) or (3) AA batteries
Includes: Carrying bag, AC adapter



USB-RECHARGEABLE ORCHESTRA LIGHT
LED518

LED Color: White
Lamp Quantity: 1
LED Quantity: 18
Modes: High / low / off
Power: USB adapter (included)
Includes: USB adapter carrying bag



CLIP-ON SOLO LED LIGHT
LED102

LED Color: White
Lamp Quantity: 1
LED Quantity: 4
Power: (3) AAA batteries



CLIP-ON DUO LED LIGHT
LED204

LED Color: White
Lamp Quantity: 2
LED Quantity: 4 (2 per head)
Power: (3) AAA batteries



LED PIANO LAMP
LED8800


Base Diameter: 5.6"
LED Quantity: 18
Total Shaft Length: 14.25"
Base Height: 0.8"
Maximum Height: 15"
Power Supply Cable Length: 75"
Gooseneck Length: 10.5"
Modes: Bright, low, off
Power Requirement: 5V (power adapter included)





MUSIC BOOK CLIP
MBC500

Construction: Plastic
Color: White



CUSTOM LOGO ONLY

SHEET MUSIC BOOK
SMB100

Construction: Plastic
Color: Black



DELUXE FOAM-PADDED STRAP FOR SAXOPHONE
SPS5000

Construction: Nylon
Color: Black



IMPRINTABLE ITEM

NAME TAG FOR BAND INSTRUMENTS
IDT1000 / Bulk only

Application: Band instrument management
Includes: Clear tag with paper insert and attaching loop



COMPACT SHEET MUSIC STAND
SM7122B
(PAGE 3)



IMPRINTABLE ITEM

PREMIUM SLIDE OIL
SOL2000

Application: Trombone maintenance

Size: 2 oz



IMPRINTABLE ITEM

PREMIUM CORK GREASE
CGS1500 / Single CGS1500B / Bulk

Application: Woodwind instrument maintenance

Size: 2 oz



IMPRINTABLE ITEM

PREMIUM VALVE OIL
VOL2000

Application: Brass instrument maintenance

Size: 2 oz



IMPRINTABLE ITEM

MULTIPURPOSE TUNING SLIDE GREASE
TSG1000 / Single TSG1000B / Bulk

Application: Brass instrument maintenance

Size: 2 oz



TRUMPET STRAIGHT MUTE
TCM7520

Application: Alters trumpet tone

Dimensions: 3.5" (W) x 6" (H)

Construction: Spun aluminum and natural cork

Color: Silver



IMPRINTABLE ITEM

MOUTHPIECE BRUSH FOR WOODWINDS
WMB6600

Application: Woodwind instrument maintenance

Construction: Nylon (head) / metal wire (handle)



IMPRINTABLE ITEM

MOUTHPIECE BRUSH FOR BRASS INSTRUMENTS
BMB5600

Application: Brass instrument maintenance

Construction: Nylon (head) / metal wire (handle)



IMPRINTABLE ITEM

BORE BRUSH/SWAB FOR CLARINET/FLUTE
WCS4000

Application: Clarinet / flute maintenance

Construction: Cotton (head) / metal wire (handle)



IMPRINTABLE ITEM

MICROFIBER MOISTURE MAGNET FOR CLARINET
CRS5000

Application: Clarinet maintenance

Construction: Cotton (head) / metal wire (handle)



MICROFIBER MOISTURE MAGNET FOR FLUTE
FRS5000

Application: Flute maintenance

Construction: Cotton (head) / metal wire (handle)



IMPRINTABLE ITEM

MICROFIBER MOISTURE MAGNET FOR ALTO SAXOPHONE
SRS5000

Application: Alto saxophone maintenance

Construction: Cotton (head) / metal wire (handle)



IMPRINTABLE ITEM

PEG COMPOUND FOR STRINGS
VPG1000

Application: Violin / viola / cello maintenance

Size: 1 oz



IMPRINTABLE ITEM

SUPER SAVER KIT FOR BASS CLARINET
BCK5600

Application: Bass clarinet maintenance

Includes: Cork grease, key oil, polishing cloth, clarinet neck swab, clarinet body swab, instruction pamphlet



IMPRINTABLE ITEM

BOW ROSIN (SMALL)
BRA1000

Application: Violin / viola / cello maintenance

Size: Small



BOW ROSIN (LARGE)
BRL1000

Application: Violin / viola / cello maintenance

Size: Large



IMPRINTABLE ITEM

SUPER SAVER KIT FOR BASSOON
BSK5600

Application: Bassoon maintenance

Includes: Key oil, cork grease, duster brush, polishing cloth, cotton bassoon swab, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR CELLO
CEK5600

Application: Cello maintenance

Includes: Large rosin, polishing cloth, instrument polish, endpin anchor, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR CLARINET
CLK5600

Application: Clarinet maintenance

Includes: Clarinet swab, cork grease, duster brush, wire mouthpiece brush, polishing cloth, reed guard, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR FLUTE
FLK5600

Application: Flute maintenance

Includes: Duster brush, pad papers, cleaning-rod cloths, silver-polishing cloths, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR FRENCH HORN
FHK5600

Application: French horn maintenance

Includes: Rotor oil, lacquer cloth, synthetic 5' snake, mouthpiece brush, tuning-slide grease, duster brush, replacement rotor strings, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR LOW BRASS
LBK5800

Application: Low brass instrument maintenance

Includes: Valve oil, lacquer-polishing cloth, 6' brass snake, mouthpiece brush, tuning-slide grease, valve brush, water-key corks, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER CARE KIT FOR OBOE
OBK5600

Application: Oboe maintenance

Includes: Cork grease, duster brush, silver-polishing cloth, pad paper, oboe swab, key oil, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR ALTO SAXOPHONE
SXK5800

Application: Alto saxophone maintenance

Includes: Saxophone swab, cork grease, duster brush, wire mouthpiece brush, lacquer-polishing cloth, reed guard, neck swab, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR TROMBONE
TBK5600

Application: Trombone maintenance

Includes: Slide oil, lacquer-polishing cloth, 42" trombone snake, mouthpiece brush, tuning-slide grease, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR TRUMPET
TPK5600

Application: Trumpet maintenance

Includes: Valve oil, lacquer-polishing cloth, 32" trumpet snake, mouthpiece brush, tuning-slide grease, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR TENOR SAXOPHONE
TSK5700

Application: Tenor saxophone maintenance

Includes: Saxophone swab, cork grease, duster brush, wire mouthpiece brush, lacquer-polishing cloth, reed guard, neck swab, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR VIOLA
VAK5600

Application: Viola maintenance

Includes: Rosin, shoulder rest, polishing cloth, instrument polish, instruction pamphlet



IMPRINTABLE ITEM

SUPER SAVER KIT FOR VIOLIN
VNK5600

Application: Violin maintenance

Includes: Rosin, shoulder rest, polishing cloth, fingerboard markers, instruction pamphlet



IMPRINTABLE ITEM

MICROFIBER CLOTH
MIC1000

Application: Instrument maintenance

Size: 12" x 12"



IMPRINTABLE ITEM

MICROFIBER SWAB FOR ALTO SAXOPHONE
SFS3000

Application: Alto saxophone maintenance

Construction: Microfiber



IMPRINTABLE ITEM

MICROFIBER SWAB FOR CLARINET
CFS3000

Application: Clarinet maintenance

Construction: Microfiber



IMPRINTABLE ITEM

SYNTHETIC SWABS FOR FLUTE
FRC3000 / 3-Pack

Application: Flute maintenance

Swab Quantity: 3



IMPRINTABLE ITEM

SYNTHETIC SWAB FOR ALTO SAXOPHONE
SAS2000

Application: Alto saxophone maintenance

Construction: Synthetic fiber



IMPRINTABLE ITEM

SYNTHETIC SWAB FOR CLARINET
CRS1000

Application: Clarinet maintenance

Construction: Synthetic fiber

ON THE RISE.

POWER CRANK-UP SPEAKER STAND
SS8800B+
(PAGE 4)

On-Stage®



10' LIGHTING / SPEAKER STAND
LS-SS7770

- **Height Adjustment:** 44"–120"
- **Base Spread:** 38"–58"
- **Reversible Speaker Pole Diameter:** 1.375" or 1.5"
- **Weight Capacity:** 140 lb
- **Construction:** Steel / aluminum
- **Color:** Black



SPEAKER / LIGHTING STAND
SS8000

- **Height Adjustment:** 55.51"–98.42"
- **Weight:** 36 lb
- **Base Dimensions:** 22.33" x 22.33"
- **Weight Capacity:** 65 lb
- **Feet Height Adjustment:** 0.25"
- **Base Threading:** M20
- **Material:** Steel
- **Color:** Black
- **Includes:** 38 mm speaker adapter

PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS





NEW PRODUCT

SPEAKER STAND
SS7500

Speaker Pole Diameter: 1 3/8"
Base Spread Adjustment: 32"–48"
Color: Black
Height Adjustment: 43"–72"
Weight Capacity: 100 lb



ALL-STEEL SPEAKER STAND
SS7725

Speaker Pole Diameter: 1.375" (1.5" adapter included)
Height Adjustment: 46"–74"
Construction: Steel
Weight Capacity: 120 lb
Color: Black



CLASSIC SPEAKER STAND
SS7730B

Speaker Pole Diameter: 1.375" (1.5" adapter included)
Height Adjustment: 44"–80"
Construction: Steel / aluminum
Weight Capacity: 160 lb
Color: Black



ALL-ALUMINUM SPEAKER STAND
SS7761B

Reversible Speaker Pole Diameter: 1.375" or 1.5"
Height Adjustment: 45"–72"
Weight Capacity: 120 lb
Color: Black
Base Spread: 32"–48"
Construction: Aluminum



SPEAKER STAND WITH ADJUSTABLE LEG
SS7762B

Reversible Speaker Pole Diameter: 1.375" or 1.5"
Length: 45"–72"
Leveling Leg Adjustment: 0"–8"
Construction: Aluminum
Base Spread: 32"–48"
Weight Capacity: 110 lb
Color: Black



AIR-LIFT SPEAKER STAND
SS7764B

Speaker Pole Diameter: 1.375"
Base Spread: 46"
Lift Assist: 40 lb
Color: Black
Height Adjustment: 47"–74"
Weight Capacity: 100 lb
Construction: Aluminum / steel



MINI ADJUSTABLE SPEAKER STAND

SSAS7000B

Speaker Pole Diameter: 1.375"

Base Spread: 12.5"

Construction: Aluminum

Height Adjustment: 27"–46"

Weight Capacity: 60 lb

Color: Black



POWER CRANK-UP SPEAKER STAND

SS8800B+

Speaker Pole Diameter: 1.375" (1.5" adapter included)


Height Adjustment: 47"–80"

Construction: Aluminum / steel

Weight Capacity: 80 lb

Color: Black





MINI SPEAKER STAND PACK
SSP7000

Reversible Speaker Pole Diameter: 1.375"

Height Adjustment: 27"–48"
Weight Capacity: 60 lb each
Construction: Aluminum
Color: Black
Bag material: Heavy-duty padded nylon



NEW PRODUCT

SPEAKER STAND PACK
SSP7650

Includes: 2 stands and carry bag
Height Adjustment: 43"–72"
Weight Capacity: 100 lb
Speaker Pole Diameter: 1 3/8"
Base Spread Adjustment: 32"–48"
Color: Black



COMPACT SPEAKER STAND PACK
SSP7750

Includes: 2 stands and carry bag
Height Adjustment: 37"–60"
Construction: Aluminum
Color: Black
Speaker Pole Diameter: 1.375"
Weight Capacity: 60 lb
Bag Material: Heavy-duty nylon



PROFESSIONAL SPEAKER STAND PACK
SSP7850

Height Adjustment: 46"–74"
Construction: Steel
Weight Capacity: 120 lb each
Color: Black



ALL-ALUMINUM SPEAKER STAND PACK
SSP7900

Height Adjustment: 45"–74.75"
Reversible Speaker Pole Diameter: 1.375" with 1.5" nylon
Construction: Aluminum adapter included
Weight Capacity: 120 lb each
Bag Material: Heavy-duty
Color: Black



ALL-ALUMINUM SPEAKER STAND PACK WITH BAG
SSP7950

Reversible Speaker Pole Diameter: 1.375" or 1.5"

Height Adjustment: 45"–72"
Construction: Aluminum
Bag material: Heavy-duty nylon
Weight Capacity: 120 lb each
Color: Black



AWARD-WINNER

WOOD STUDIO MONITOR STANDS
SMS7500B

Height Adjustment: 35.5"–56.5"
Base Dimensions: 16" x 15"
Construction: Steel / wood
Platform Dimensions: 13.75" x 12.63"
Weight Capacity: 90 lb
Color: Black



AWARD-WINNER

WOOD STUDIO MONITOR STANDS
SMS7500RB

Height Adjustment: 35.5"–56.5"
Base Dimensions: 16" x 15"
Construction: Steel / wood
Platform Dimensions: 13.75" x 12.63"
Weight Capacity: 90 lb
Color: Rosewood



WOOD STUDIO MONITOR STANDS
SMS7500W

Height Adjustment: 35.5"–56.5"
Base Dimensions: 16" x 15"
Construction: Steel / wood
Platform Dimensions: 13.75" x 12.63"
Weight Capacity: 90 lb
Color: White



STUDIO MONITOR STANDS (PAIR)
SMS6000-P

Height Adjustment: 36.5"–54"
Base Spread: 18"
Construction: Steel
Platform Dimensions: 9.5" x 9.5"
Weight Capacity: 90 lb
Color: Black



ON-STAGE ORIGINAL

HEX-BASE MONITOR STANDS
SMS6600-P

Height Adjustment: 36.5"–54"
Base Spread: 14"
Construction: Steel
Platform Dimensions: 9.5" x 9.5"
Weight Capacity: 90 lb
Color: Black



NEW PRODUCT

AIRLIFT SPEAKER POLE
SS7748

Length Adjustment: 36.5"–60"
Weight Capacity: 100 lb
Color: Black
Speaker Pole Diameter: 1.375"
Construction: Steel

PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS



ADJUSTABLE SUBWOOFER ATTACHMENT SHAFT
SS7745LOK

Length Adjustment: 32.5"–47"
Weight Capacity: 100 lb
Color: Black
Speaker Pole Diameter: 1.375"
Construction: Steel



M20 THREADED
MOST POPULAR

SUBWOOFER POLE WITH M20 THREAD
SS7746

Length Adjustment: 30"–54"
Weight Capacity: 100 lb
Color: Black
Speaker Pole Diameter: 1.375"
Construction: Steel



SUBWOOFER ATTACHMENT SHAFT
SS7740

Length: 42"
Weight Capacity: 160 lb
Color: Black
Speaker Pole Diameter: 1.375"
Construction: Steel



MOST POPULAR

ADJUSTABLE SUBWOOFER ATTACHMENT SHAFT
SS7745

Length Adjustment: 31.625"–55"
Weight Capacity: 80 lb
Color: Black
Speaker Pole Diameter: 1.375"
Construction: Steel



CRANK-UP SUBWOOFER POLE
SS7747v2

Length Adjustment: 40"–63"
Weight Capacity: 145 lb
Color: Black
Speaker Pole Diameter: 1.375"
Construction: Steel



ADJUSTABLE WALL-MOUNT SPEAKER BRACKET
SS7322B

Distance from Wall: 12.5"–15" (depending on tilt angle)

Left-to-Right Angle Adjustment: 30° either direction

Tilt Angle Adjustment: 0°–30° down

Color: Black

Weight Capacity: 80 lb



WALL-MOUNT SPEAKER BRACKET
SS7323B

Distance from wall: 12.5"–15" (depending on tilt angle)

Left-to-Right Angle Adjustment: 30° either direction

Tilt Angle Adjustment: 0°–45° down

Construction: Steel

Weight Capacity: 100 lb

Color: Black



MOST POPULAR

WALL-MOUNT SPEAKER BRACKET
SS7914B

Length: 15.5" (from the inside of the bracket to the center of the speaker pole)

Weight Capacity: 80 lb

Construction: Steel

Color: Black



STEERABLE ARRAY BRACKET
SS7990

Steering: Up to 180° with correct cables

Length: 17.75"

Includes: (6) 8 mm eyebolts (3 per mount)

Weight Capacity: 80 lb per mount



DUAL-MOUNT SPEAKER BRACKET
SS7920

Bracket Length: 20" from the center of one speaker pole to the center of the other speaker pole

Construction: Steel

Weight Capacity: 80 lb distributed evenly

Color: Black

Speaker Pole Diameter: 1 3/4"



EXTERIOR MOUNTING BRACKET
EB9760

Application: Adds a 1.375" pole-mount socket to a speaker

Dimensions: 7.375" x 4.375"

Construction: Heavy-duty plastic

Includes: (4) mounting screws

Color: Black





NEW PRODUCT

SPEAKER STAND TRAY
SS1000

Mounting Tube Diameter: 1 3/8"

Tray Dimensions: 16.5" (L) x 15" (W)

Tray Thickness: 0.8"

Weight Capacity: 30 lb

Weight: 6.5 lb

Construction: Steel / EVA

Color: Black

Includes: Hex wrench



12" SPEAKER BAG
SB1200

Construction: Heavy-duty nylon shell / foam padding

Bag Dimensions: 24.5" (L) x 14.5" (W) x 15" (D)



15" SPEAKER BAG
SB1500

Construction: Heavy-duty nylon shell / foam padding

Bag Dimensions: 28.5" (L) x 19.5" (W) x 18.7" (D)



MOST POPULAR

IMPRINTABLE ITEM

SPEAKER STAND BAG
SSB6500

Bag Dimensions: 50" (L) x 10" (W) x 5" (D)

Color: Black

Construction: Heavy-duty nylon shell / foam padding



LOCKING SPEAKER ADAPTER
SSA45LOK

Application: Stabilizes speaker pole/socket connections

Length: 12" including 3" speaker-pole overlap

Construction: Steel tubing / plastic pressure pads

Diameter: 1.375" | **Color:** Black



SPEAKER STAND ADAPTER
SSA3

Application: Reduces the diameter of a 1.375" speaker pole to 1"

Lower Diameter (Female): 1.375" | **Upper Diameter (Male):** 1"

Construction: Steel | **Color:** Black



ADAPTER SLEEVE FOR SPEAKER BRACKETS
SSA2

Application: Increases the diameter of a 1.375" speaker pole to 1.5"

Inner Diameter: 1.375" | **Outer Diameter:** 1.5"

Construction: Steel | **Color:** Black




SPEAKER CABINET INSERT
SSA1.375 SSA1.5

Application: Adds a pole-mount socket to a speaker

Construction: Steel

SSA1.375 Diameter: 1.375" | **SSA1.5 Diameter:** 1.5"



M20 SPEAKER CABINET ADAPTER
SSA20M

Application: Replaces a 1.375" pole-mount socket with an M20-threaded socket

Includes: 4 mounting screws | **Construction:** Steel

Color: Black



SUBWOOFER ADAPTER
SSA21

Application: Enables an M20-threaded speaker-stand shaft to connect to virtually any subwoofer pole-mount socket

Lower Adapter: 1.375" with a removable male M20-threaded stem

Upper Adapter: Female M20 | **Construction:** Steel

Includes: Hex key for M20 stem removal



SAFETY CABLE
SSACB28

Application: Backup attachment for overhead equipment

Thickness: 3 mm | **Length:** 28"

Maximum Load: 60 lb | **Construction:** Steel

Includes: Carabiner



SPEAKER / LIGHTING STAND SCRIM
SSA100B / Black SSA100W / White

Construction: Stretch nylon | **Color:** Available in black or white





AIR-LIFT FLAT SCREEN MOUNT

FPS6000

Mounting Bracket: Universal VESA mount
Bracket Angle Adjustment: 15° up / 15° down
Height Adjustment: 47"–74"
Air-Lift Assist: Lifts up to 40 lb unassisted
Max Screen Size: 42"
Air Lift Assist: 40 lb
Weight Capacity: 50 lb
Base Spread: 46"



LIGHTING STAND WITH TRUSS

LS7730

Application: Supports 16 PAR cans or other lighting schemes
Height Adjustment: 65"–129"
Weight Capacity: 200 lb total
Length: 120"
Base Spread: 48"



13' TRIPOD LIGHTING/MIC STAND

LS-MS7620

Height Adjustment: 47"-156"
Base Spread: 35"
Weight Capacity: 15 lb
Construction: Aluminum
Fully Retracted Length: 45"
Color: Black



LIGHTING STAND WITH SIDE BARS

LS7720BLT

Application: Supports 8 PAR cans or other lighting schemes
Height Adjustment: 60"–120"
Weight Capacity: 110 lb
Color: Black
Base Spread: 48"
Construction: Aluminum



FLAT-BASE LIGHTING STAND

LS7920BLT

Application: Supports 8 PAR cans or other lighting schemes
Height Adjustment: 60"–120"
Base Dimensions: 18.5" x 18.5"
Base Threading: M20
Color: Black
Weight Capacity: 110 lb
Base Thickness: 8 mm
Base Weight: 27 lb



POWER CRANK-UP LIGHTING STAND
LS7805QIK

Application: Supports 12 PAR cans or other lighting schemes

Height Adjustment: 54"–132"
Base Spread: 54"
Weight Capacity: 80 lb
Color: Black
Construction: Aluminum / steel



CRANK-UP LIGHTING STAND
LS9900B+

Height Adjustment: 74"–157.5"
Weight Capacity: 185 lb
T-Bar Length: 51.5"
Folded Length: 68.31"
Weight: 52 lb
Includes: 35 mm speaker-mounting adapter



SPEAKER FIELD CART
SFC9000

Dimensions: 33.5" (W) x 41.75" (H) x 33.5" (D)
Tubing Size: 1.5" x 1.5"
Construction: Steel
Weight Capacity: 300 lb
Weight: 100 lbs.
Color: Black Powder Coat Finish



CEILING BAR FOR MICS AND LIGHTS
MY900

Application: Overhead mounting of lights and other devices
Includes: Wood screws / ceiling-tile brackets
Mounting Stem Quantity: 4
Length: 46.5"
Mounting-Stem Threading: 5/8"-27



LED WASH LIGHT
RGBLED100

Application: Area lighting
Dimensions: 7" x 7"
Modes: Automatic, sound activated, DMX and master-slave
Voltage: 100-240v/56-60Hz
DMX Channels: 6
Rated Power: 20 W
Colors: Red, Green, Blue



AWARD-WINNER

U-MOUNT LIGHTING ARMS
LSA7700P

Application: Mounts up to 6 PAR cans on a stand
Weight Capacity: 15 lb per arm
Length: 29"
Includes: 6 mounting wingnuts
Construction: Aluminum / steel
Color: Black



LIGHTING O-CLAMP
LTA9900

Height Adjustment: 9" - 12.4"
Angle Adjustment: 0°–15°
Base Dimensions: 10" x 10"
Platform Dimensions: 9" (D) x 12" (W)
Construction: Steel / EVA rubber on platform / rubber feet
Color: Black



IMPRINTABLE ITEM

LIGHTING STAND BAG
LSB6500

Dimensions: 13" (W) x 62" (L) x 9" (H)
Color: Black
Construction: Heavy-duty nylon shell / foam padding

ON THE GO.

UTILITY CART
UTC2200
(PAGE 1)



COMPACT UTILITY CART
UTC1100

Application: Gear transportation
Compact Size: 26" (L) x 11.5" (W) x 7" (H)
Front Wheel Size: 3"
Weight: 24.3 lb
Weight Capacity: 330 lb
Extended Size: 38.5" (L) x 11.5" (W) x 31.5" (H)
Rear Wheel Size: 6"



UTILITY CART
UTC2200

Application: Gear transportation
Compact Size: 18" (W) x 28.5" (L)
Platform Bed Height: 10.5"
Weight Capacity: 485 lb
Extended Size: 18" (W) x 42.5" (L)
Handle Height: 31"



ALL-TERRAIN UTILITY CART
UTC5500

Application: Gear transportation
Compact Dimensions: 30" (L) x 13.6" (W) x 11.2" (H)
Weight Capacity: 550 lb
Rear Wheel Size: 10"
Weight: 34.6 lb
Extended Dimensions: 52" (L) x 13.6" (W) x 37" (H)
Front Wheel Size: 8"



UTILITY CART TRAY
UCA1500

Application: Mounts to the handles of On-Stage utility carts to create a workstation, table, or shelf

Surface Dimensions: 36" (L) x 17" (W)
Thickness: 1.2 mm
Weight Capacity: 80 lb
Weight: 7.5 lbs.
Color: Black



UTILITY CART HANDLE BAG
UCB1250

Construction: Heavy-duty nylon
Straps: Hook and loop
Dimensions: 26" (L) x 12" (W) x 6" (D)
Color: Black
For Use With: On-Stage UTC2200 and UTC5500 Utility Carts



UTILITY CART BAG
UCB2500

Construction: Heavy-duty nylon
Straps: Black
Dimensions: 40" (L) x 12" (W) x 20" (H)
Color: Black
For use with: On-Stage UTC2200 and UTC5500 Utility Carts



FOLDABLE TILT-BACK AMP STAND
RS6000

Weight Capacity: 120 lb
Tubing: 0.75" x 0.75"
Base Dimensions: 14" (W) x 21.5" (D)
Construction: Steel
Upper Back Arm Length: 18"
Color: Black
Lower Arm Length: 12"



TILT-BACK AMP STAND
RS7000

Weight Capacity: 150 lb
Base Spread: 15.5"
Height Adjustment: 17"–24"
Width: 12"
Upper and Lower Arm Length: 12"
Arm Spread: 13"
Construction: Steel



TABLETOP RACK STAND
RS7030

Application: 12-space rack
Weight Capacity: 75 lb
Height: 23"
Width: 19.5"
Depth: 14"
Tubing: 15 mm x 30 mm
Construction: Steel
Color: Black



FOLDABLE TILTBACK AMP STAND
RS4000

Application: Small amps / practice amps
Weight Capacity: 100 lb
Upper Back Arm Length: 14"
Lower Arm Length: 8"
Floor Dimensions: 12" (W) x 18" (D)
Construction: Steel
Tubing: 0.75"
Color: Black



PRO TILTBACK AMP STAND
RS7705

Application: Stage / studio amplifiers and monitors
Arm Width: 12"
Weight Capacity: 90 lb
Arm Depth: 11"
Base Spread: 17"
Construction: Steel



AWARD-WINNER

TILTBACK TRIPOD AMP STAND
RS7500

Application: Stage / studio amps and monitors
Weight Capacity: 100 lb
Height Adjustment: 8"–10" (support arm height above floor)
Support Arm Lengths: 7.32"
Back Bumper Height Adjustment: 19"–36"
Angle Adjustment: 95°–110°
Mic Mount Height Adjustment: 23"–37"
Construction: Steel
Folded Dimensions: 5" (W) x 4.5" (H) x 26.5" (L)
Color: Black



AMP STAND WITH BOOM ARM
RS7501

Application: Stage or studio amps and monitors / amp miking
Weight Capacity: 100 lb
Height Adjustment: 8"–10" (support arm height above floor)
Angle Adjustment: 95°–110°
Back Bumper Height Adjustment: 19"–36"
Amp Support Arms Length: 7.32"
Mic Mount Height Adjustment: 23"–37"
Boom Arm Size: 22" boom arm with 7" adjustable mini boom
Boom Arm Tubing: 16 mm
Color: Black
Folded Dimensions: 5" (W) x 4.5" (H) x 26.5" (L)



MOBILE EQUIPMENT STAND
MIX-400V2

Application: Holds mixers, small-to-midsize audio gear, and 1U rack-mount components

Height Adjustment: 28"–38"

Platform Length Adjustment: 12"–15.5"

Construction: Steel / plastic

Weight Capacity: 88 lb

Platform Width Adjustment: 14.5"–21.5"

Base Spread: 23"



AMP GLIDER
AG5000

Length Adjustment: 22"–29.5"

Width Adjustment: 7.5"–14"

Weight Capacity: 140 lb

Height: 4"

Frame Construction: Steel

Color: Black



1U LOCKING RACK DRAWER
RDL1000

Dimensions: 19" (L) x 14" (W) x 1.7" (H)

Construction: Steel

Size: 1U

Color: Black



SUB GLIDER
SG5000

Depth Adjustment: 15"–22"

Usable Width Adjustment: 18.4"–33"

Frame Construction: Steel

Heavy-duty casters: 6 total (2 locking)

Height: 4"

Weight Capacity: 155 lb

Wheels: 3"

Finish: Black powder coat



1U LOCKING RACK DRAWER (SHALLOW)
RDLS1000

Dimensions: 19" (L) x 9.5" (W) x 1.7" (H)

Construction: Steel

Size: 1U (Shallow)

Color: Black



2U LOCKING RACK DRAWER
RDL2000

Dimensions: 19" (L) x 14" (W) x 3.5" (H)

Construction: Steel

Size: 2U

Color: Black



3U LOCKING RACK DRAWER
RDL3000

Dimensions: 19" (L) x 14" (W) x 5.1" (H)

Construction: Steel

Size: 3U

Color: Black



4U LOCKING RACK DRAWER
RDL4000

Dimensions: 19" (L) x 14" (W) x 6.7" (H)

Construction: Steel

Size: 4U

Color: Black



2U LOCKING RACK DRAWER (SHALLOW)
RDLS2000

Dimensions: 19" (L) x 9.5" (W) x 3.5" (H)

Construction: Steel

Size: 2U (Shallow)

Color: Black



3U LOCKING RACK DRAWER (SHALLOW)
RDLS3000

Dimensions: 19" (L) x 9.5" (W) x 5.1" (H)

Construction: Steel

Size: 3U (Shallow)

Color: Black



4U LOCKING RACK DRAWER (SHALLOW)
RDLS4000

Dimensions: 19" (L) x 9.5" (W) x 1.7" (H)

Construction: Steel

Size: 4U (Shallow)

Color: Black




1U ADAPTABLE RACK DRAWER FOAM
RDF1000

Dimensions: 16.3" (W) x 15" (D)
Size: 1U
Construction: Medium-density foam
Color: Gray



3U ADAPTABLE RACK DRAWER FOAM
RDF3000

Dimensions: 16.3" (W) x 15" (D)
Size: 3U
Construction: Medium-density foam
Color: Gray



1U VENTED RACK PANEL
RPV1000

Thickness: 2 mm
Size: 1U
Construction: Steel
Color: Black



2U ADAPTABLE RACK DRAWER FOAM
RDF2000

Dimensions: 16.3" (W) x 15" (D)
Size: 2U
Construction: Medium-density foam
Color: Gray




4U ADAPTABLE RACK DRAWER FOAM
RDF4000

Dimensions: 16.3" (W) x 15" (D)
Size: 4U
Construction: Medium-density foam
Color: Gray



1U BLANK RACK PANEL
RPB1000

Thickness: 1.7 mm
Size: 1U
Construction: Steel
Color: Black




3U VENTED RACK PANEL
RPV3000

Thickness: 2 mm
Size: 3U
Construction: Steel
Color: Black



2U VENTED RACK PANEL
RPV2000

Thickness: 2 mm
Size: 2U
Construction: Steel
Color: Black



4U VENTED RACK PANEL
RPV4000

Thickness: 2 mm
Size: 4U
Construction: Steel
Color: Black



2U BLANK RACK PANEL
RPB2000

Thickness: 1.7 mm
Size: 2U
Construction: Steel
Color: Black



3U BLANK RACK PANEL
RPB3000

Thickness: 1.7 mm
Size: 3U
Construction: Steel
Color: Black



4U BLANK RACK PANEL
RPB4000

Thickness: 1.7 mm
Size: 4U
Construction: Steel
Color: Black



1U 500 SERIES BLANK RACK PANEL
RPB1500

Thickness: 3 mm
Size: 1U
Construction: Steel
Color: Black



1U RACK BRUSH PANEL
RPBR1000

Thickness: 1.7 mm
Size: 1U
Construction: Steel / nylon
Color: Black



2U RACK BRUSH PANEL
RPBR2000

Thickness: 1.7 mm
Size: 2U
Construction: Steel / nylon
Color: Black




ADJUSTABLE TOP-MOUNT RACK SHELF
RSU1000

Application: Holds mixers, laptops, and other non-rack-mountable devices in a rack
Depth: 17.5"
Width Adjustment: 8"–15" (can hold 17" gear with inner locking brackets removed)
Tray Width (not including mounting lip): 17.2"
Width (including mounting lip): 19"



1U VENTED RACK SHELF 9"
RVS1000

Height: 1.74"
Length: 19"
Width: 9"
Weight: 2.83 lb
Weight Capacity: 35 lb
Construction: Steel
Color: Black



2U VENTED RACK SHELF 14"
RVS2000

Height: 3.51"
Length: 19"
Width: 14"
Weight: 4.85 lb
Weight Capacity: 35 lb
Construction: Steel
Color: Black



6U WALL-MOUNT KNOCK-DOWN RACK
RKD6000

Dimensions: 21.65" (L) x 17.72" (W) x 14.57" (H)
Rack Mounting Holes: #10-32
Rack Space: 6U
Construction: Steel
Color: Black
Usable Depth (Rail to Rail): 14"



9U WALL-MOUNT KNOCK-DOWN RACK
RKD9000

Dimensions: 21.65" (L) x 17.72" (W) x 19.85" (H)
Rack Mounting Holes: #10-32
Rack Space: 9U
Construction: Steel
Color: Black
Usable Depth (Rail to Rail): 14"



12U WALL-MOUNT KNOCK-DOWN RACK
RKD1200

Dimensions: 21.65" (L) x 17.72" (W) x 24.41" (H)
Rack Mounting Holes: #10-32
Rack Space: 12U
Construction: Steel
Color: Black
Usable Depth (Rail to Rail): 14"





PACK OF RACK SCREWS
WSR7025 / 25 Pack

Application: Secures rack-mount gear to a rack
Dimensions: M5, 12 mm
Head type: Philips
Construction: Metal
Color: Black



CASTERS FOR RKD SERIES RACKS
RKD1000C

Mounting Style: Screws
Construction: Steel
Works With: On-Stage RKD6000, RKD9000, & RKD1200



16–24 CHANNEL MIXER DUST COVER
MDA7016


Length Adjustment: 27"–34"
Width Adjustment: 19"–23"
Depth: 12"
Construction: Spandex
Color: Black



32–48 CHANNEL MIXER DUST COVER
MDA7032

Length Adjustment: 47"–53"
Width Adjustment: 24"–29"
Depth: 12"
Construction: Spandex
Color: Black





AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - ROSEWOOD
GWS5000RB

Amp Shelf Dimension: 24.5" (L) x 12.5" (W) x 20.5" (D)
Pedal Board Dimension: 24" (L) x 8" (W) x 3.5" (D)
Top Shelf Dimension: 24.5" (L) x 1.5" (W) x 3" (D)
Weight Capacity: 80 lb
Includes: Hook-and-loop strips
Cabinet Construction: MDF
Color: Rosewood



AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - BLACK
GWS5000B

Amp Shelf Dimension: 24.5" (L) x 12.5" (W) x 20.5" (D)
Pedal Board Dimension: 24" (L) x 8" (W) x 3.5" (D)
Top Shelf Dimension: 24.5" (L) x 1.5" (W) x 3" (D)
Weight Capacity: 80 lb
Includes: Hook-and-loop strips
Cabinet Construction: MDF
Color: Black



ON-STAGE ORIGINAL

GUITAR UTILITY VEHICLE
GUV8000

Dimensions While in Use: 36" (L) x 24" (W) x 40" (H)
Folded-Down Dimensions: 36" (L) x 24" (W) x 12" (H) or 16" (H) with cup holder installed
Amp Stand Dimensions: 30" (L) x 12" (W) x 22" (H)
Accessory Tray Dimensions: 7.75" (L) x 6.75" (W) x 0.38" (D)
Wheel Footprint: 32" (L) x 20.5" (W)
Weight Capacity: 300 lb
360° Swiveling Caster Quantity: 4
Caster Brake Quantity: 2
Wheel Dimensions: 8" (H) x 2.5" (W)
Tire Type: Foam filled

POWER ON.

AUDIO CABLES
VARIOUS OPTIONS
(PAGES 2-6)

DI BOXES
VARIOUS MODELS
(PAGES 6-7)

On-Stage®



BRAIDED INSTRUMENT CABLES (RIGHT-STRAIGHT)

IC-10 / Right Angle QTR–QTR 10'
IC-15 / Right Angle QTR–QTR 15'
IC-25 / Right Angle QTR–QTR 25'

Wire Gauge: 24 AWG
Outer Diameter: 8.6 mm
Connection Type: Gold-plated, right angle 1/4" to straight 1/4"
Construction: Oxygen-free copper, braided shielding
Shielding: Double-shielded (copper-braided and semiconductor shielding)



BRAIDED INSTRUMENT CABLES (STRAIGHT-STRAIGHT)

IC-10 / QTR–QTR 10'
IC-15 / QTR–QTR 15'
IC-25 / QTR–QTR 25'

Wire Gauge: 24 AWG
Outer Diameter: 8.6 mm
Connection Type: Gold-plated, straight 1/4" to straight 1/4"
Construction: Oxygen-free copper, braided shielding
Shielding: Double-shielded (copper-braided and semiconductor shielding)



MIC CABLES

MC-3 / XLR–XLR 3'
MC-6 / XLR–XLR 6'
MC-10 / XLR–XLR 10'
MC-15 / XLR–XLR 15'
MC-20 / XLR–XLR 20'
MC-25 / XLR–XLR 25'
MC-50 / XLR–XLR 50'

Wire Gauge: 24 AWG
Outer Diameter: 6.8 mm
Connection Type: XLR to XLR connector
Construction: Oxygen-free copper, spiral shielding
Shielding: Spiral and semiconductor

PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS



FLAT PATCH CABLES (3 PACK)

FPC-3

Application: Connects effects pedals
Connectors: Gold-plated, 1/4 right angle
Outer Jacket Diameter: 2.55 mm x 5.5 mm
Cable Quantity: 3

Cable Type: QTR-QTR
Wire Gauge: 26 AWG
Wire: Copper




FLAT PATCH CABLES (60 PCS)

FPC-60 -POP

Application: Connects effects pedals
Connectors: Gold-plated, 1/4 right angle
Outer Jacket Diameter: 2.55 mm x 5.5 mm
Cable Quantity: 60

Cable Type: QTR-QTR
Wire Gauge: 26 AWG
Wire: Copper





MOST POPULAR

INSTRUMENT CABLES

IC-10 / QTR-QTR 10'
IC-25 / QTR-QTR 25'
IC-20 / QTR-QTR 20'
IC-20R / Right Angle QTR-QTR 20'
IC-10R / Right Angle QTR-QTR 10'
IC-10HS / Heat-Shrink Relief QTR-QTR 10'
IC-20BR / QTR-QTR 20' (Braided Jacket)
IC-15 / QTR-QTR 15'
IC-6 / QTR-QTR 6'
IC-3 / QTR-QTR 3'

Connectors: Standard 1/4"
Wire: Copper
Wire Gauge: 22 AWG



INSTRUMENT CABLES WITH NEUTRIK CONNECTORS

IC-6NN / QTR-QTR 6'

Connectors: Neutrik 1/4"
Wire: Copper
Wire Gauge: 20 AWG
Shielding: Tinned copper braiding



MC12-25



MC12-20HZ

MOST POPULAR

MICROPHONE CABLES

MC12-10 / XLR-XLR 10'
MC12-25HZ / XLR-XLR 25'
MC12-3 / XLR-XLR 3'
MC12-20XLR / XLR-XLR 20'
MC12-20HZ / HI-Z XLR-QTR 20'
MC12-20LC / XLR-XLR-20' BULK
MC12-25 / XLR-XLR 25'
MC12-6 / XLR-XLR 6'
MC12-15 / XLR-XLR 15'
MC12-50 / XLR-XLR 50'

Connectors: Standard XLR
Wire: Copper
Wire Gauge: 22 AWG
Shielding: Spiral copper



QTR-QTR SPEAKER CABLES

SP14-3 / QTR-QTR 3'
SP14-10 / QTR-QTR 10'
SP14-50 / QTR-QTR 50'
SP14-6 / QTR-QTR 6'
SP14-25 / QTR-QTR 25'


Connectors: Standard 1/4"
Wire: Copper
Wire Gauge: 14 AWG



SPEAKER CABLES WITH NEUTRIK NL2 SPEAKON CONNECTORS

SP14-10SS / NL2-NL2 10'
SP14-25SS / NL2-NL2 25'
SP14-50SS / NL2-NL2 50'
SP14-10SQ / NL2-QTR 10'
SP14-25SQ / NL2-QTR 25'
SP14-50SQ / NL2-QTR 50'

SS Connectors: Neutrik twist-lock Speakon
SQ Connectors: Neutrik twist-lock Speakon, 1/4"
Wire Gauge: 14 AWG
Wire: Copper



PRODUCTION-GRADE
MICROPHONE CABLE
MC-X
(PAGE 2)



10' MICROPHONE TO USB CABLE

MC12-10U

Application: Connecting a microphone to a USB-supported device
Length: 10'
Wire Gauge: 25 AWG
Wire: Oxygen-free Copper (OFC)
Connectors: XLR, USB
Outer Jacket Diameter: 6.5 mm



RIGHT-ANGLE PATCH CABLES (TRS-TRS, 8 PACK)

PC18-17TRS-R

Application: Connects patch bay inputs and outputs
Cable Type: TRS-TRS
Connectors: Right angle
Length: 17"
Color: Assorted



STRAIGHT PATCH CABLES (TRS-TRS, 8 PACK)

PC18-17TRS-S

Application: Connects patch bay inputs and outputs
Cable Type: TRS-TRS
Connectors: Straight
Length: 17"
Color: Assorted



6" PATCH CABLE WITH PANCAKE CONNECTORS

PC506B

Application: Connects effect pedals
Cable Type: QTR-QTR
Connectors: Standard 1/4" (pancake style)
Outer Diameter: 6 mm
Length: 1'
Wire Gauge: 23 AWG
Wire: Copper



6" PATCH CABLE WITH PANCAKE CONNECTORS

PC506B-3PK

Application: Connects effects pedals
Connectors: Standard 1/4" (pancake style)
Length: 6"
Wire: Copper
Cable Type: QTR-QTR
Wire Gauge: 23 AWG
Outer Jacket Diameter: 6 mm
Cable Quantity: 3



1' PATCH CABLE WITH PANCAKE CONNECTORS

PC512B

Application: Connects effect pedals
Cable Type: QTR-QTR
Connectors: Standard 1/4" (pancake style)
Outer Diameter: 6 mm
Length: 1'
Wire Gauge: 23 AWG
Wire: Copper



3' PATCH CABLE WITH PANCAKE CONNECTORS
PC536B

Application: Connects effect pedals
Cable Type: QTR-QTR
Connectors: Standard 1/4" (pancake style)
Outer Jacket Diameter: 6 mm
Length: 3'
Wire Gauge: 23 AWG
Wire: Copper



6" RIGHT-ANGLE PEDAL COUPLER
PC306B / Black

Application: Connects effect pedals
Connectors: Right angle
Cable Type: QTR-QTR
Length: 6"



3' MIDI CABLE
MDC-3

Application: Connects MIDI synthesizers, drum machines, sequencers, samplers
Wire Gauge: 26 AWG/4C
Outer Jacket Diameter: 0.2"
Length: 3'
Wire: Copper
Connectors: 5-pin MIDI



5' MIDI CABLE
MDC-5

Application: Connects MIDI synthesizers, drum machines, sequencers, samplers
Wire Gauge: 26 AWG/4C
Outer Jacket Diameter: 0.2"
Length: 5'
Wire: Copper
Connectors: 5-pin MIDI





NEW PRODUCT

SNAKE BOX (W/ FEMALE ENDS)
SNK4BF

Inputs and Outputs: (4) XLR, (1) RJ45
Dimensions: 8.27" (L) x 2.76" (W) x 3.43" (H)
Weight: 1.19 lb



NEW PRODUCT

SNAKE CABLE (W/ FEMALE ENDS)
SNK4CF

Cable Length: 29.56"
Inputs and Outputs: (4) XLR, (1) RJ45
Weight: 0.65 lb
Wire Gauge: 26 AWG



NEW PRODUCT

SNAKE BOX (W/ MALE ENDS)
SNK4BM


Inputs and Outputs: (4) XLR, (1) RJ45
Dimensions: 8.27" (L) x 2.76" (W) x 3.43" (H)
Weight: 1.19 lb



NEW PRODUCT

SNAKE CABLE (W/ MALE ENDS)
SNK4CM

Cable Length: 29.56"
Inputs and Outputs: (4) XLR, (1) RJ45
Weight: 0.65 lb
Wire Gauge: 26 AWG





8-CHANNEL / 4-RETURN STAGE SNAKE

SNK8450v2 / 50'

SNK84100v2 / 100'

Application: Live sound

XLR Inputs: 8 (female)

XLR Outputs: 4 (male)

Includes: Nylon bag



20-CHANNEL / 4-RETURN STAGE SNAKE

SNK20450v2 / 50'

SNK204100v2 / 100'

Application: Live sound

XLR Inputs: 20 (female)

XLR Outputs: 4 (male)

Includes: Nylon bag



12-CHANNEL / 4-RETURN STAGE SNAKE

SNK12450v2 / 50'

SNK124100v2 / 100'

Application: Live sound

XLR Inputs: 12 (female)

XLR Outputs: 4 (male)

Includes: Nylon bag



16-CHANNEL / 4-RETURN STAGE SNAKE

SNK16450v2 / 50'

SNK164100v2 / 100'

Application: Live sound

XLR Inputs: 16 (female)

XLR Outputs: 4 (male)

Includes: Nylon bag



BLUETOOTH CONVERTER

BC1000

Application: Wireless audio

Bluetooth Version: 4.0

Power: 3.7 V lithium battery with included USB charging cable

Battery Life: 20 hours

Wireless Transmission Range: 30'



24-CHANNEL / 4-RETURN STAGE SNAKE

SNK24450v2 / 50'

SNK244100v2 / 100'

Application: Live sound

XLR Inputs: 24 (female)

XLR Outputs: 4 (male)

Includes: Nylon bag



3.5 MM TO 1/4" PLUG ADAPTER

WHA4500

Application: Enables extra compatibility for headphones and audio devices

Connectors: 1/4" male to 3.5 mm female

Color: Gold



STEREO BLUETOOTH CONVERTER

BC2000v2

Application: Wireless audio

Bluetooth Version: 5.0

Power: 3.7 V lithium battery with included USB charging cable

Battery Life: 10 hours

Wireless Transmission Range: 30'



MINI DI BOX
DB200

Application: Converts a high-impedance 1/4" source (guitar, bass, keyboard) to a low-impedance XLR signal

Power: 9 V DC, center negative (not included)

Input: 1/4" **Outputs:** 1/4" unbalanced and XLR balanced

Includes: Hook-and-loop strip for pedalboard mounting

Weight: 0.7 lb



MOST POPULAR

PASSIVE DI BOX
DB500

Application: Converts a high-impedance 1/4" source (bass, guitar) to a low-impedance XLR signal

Input: 1/4"

Output: XLR

Dimensions: 4.75" (W) x 1.375" (H) x 2.875" (D)

Power: Passive / not required

Weight: 0.5 lb



ACTIVE DI BOX
DB1000

Application: Converts a high-impedance 1/4" source (acoustic guitar, bass) to a low-impedance XLR signal

Power: Phantom

Dimensions: 6" (W) x 3.5" (H) x 1.5" (D)

Input: 1/4"

Output: XLR

Weight: 0.7 lb



PASSIVE MULTIMEDIA DI BOX
DB1050

Application: Converts a line-level stereo source (laptop, mp3 player, DJ rig) to a low-impedance XLR mono signal

Inputs: Stereo 1/4", 3.5 mm, stereo RCA, and XLR

Power: Passive / not required

Dimensions: 6" (W) x 3.5" (H) x 1.5" (D)

Output: Mono XLR Lo-Z

Weight: 0.7 lb



ACTIVE STEREO MULTIMEDIA DI BOX
DB2050

Application: Converts a line-level stereo source (computer, mp3 player, DJ rig) to a low-impedance discrete-stereo XLR signal

Inputs: Stereo 1/4", 3.5 mm, RCA

Power: Phantom

Dimensions: 6" (L) x 3.5" (W) x 1.5" (H)

Output: Isolated stereo XLR

Weight: 0.7 lb



PASSIVE USB DI BOX
DB2150

Application: Converts digital audio (laptop, computer) to discrete stereo analog XLR signals

Input: USB 2.0

Weight: 0.7 lb

Dimensions: 5.75" (L) x 3.5" (W) x 1.5" (H)

Outputs: XLR (stereo), 3.5 mm headphone

Power: Passive / not required



CONSUMER TO PRO DI
DB100

Application: Eliminates noise and ground loops that often occur when using consumer audio devices with a PA system

Input to Output: Stereo to mono

Input Impedance: 47 kΩ / 1 kHz

Frequency: 20 Hz–20 kHz

Input Attenuation: 20 dB

Output Impedance: 53 kΩ / 1 kHz

Distortion: 0.008%



DYNAMIC HANDHELD MIC
AS400v2

Frequency Response: 50 Hz–15 kHz

Impedance: 600 Ω (at 1 kHz)

Pattern: Cardioid

Includes: 20' cable



DYNAMIC HANDHELD MIC
AS420v2

Frequency Response: 50 Hz–15 kHz

Impedance: 600 Ω (at 1 kHz)

Pattern: Cardioid

Includes: 20' cable



NEW PRODUCT

RECHARGEABLE XLR WIRELESS SYSTEM
RXLRWS1

Power: 3.7 V 950 mAh Li-ion battery

Transmission Distance: up to 150 feet

Signal to Noise Ratio: > 85 dB

Charging Time: 2 hours (from zero to full)

Includes: Owner's manual, dual-output USB-C charging cable

Frequency Channels: 7

Dynamic Range: > 106 dB

Working Time: 5.5 hours

Weight: 0.20 lb



GOOSENECK MIC
DJM618

Application: No-stand mic that plugs directly into a mixer or soundboard

Length: 18"

Impedance: 500 Ω

Connector: 3-pin male XLR

Cardioid Pattern: Unidirectional

Frequency Response: 50 Hz–10 kHz



FET CONDENSER MIC
AS800

Application: Studio recording

Impedance: ≤ 200 Ω

Power: 48 V phantom power

Frequency Response: 20 Hz–20 kHz

Pattern: Cardioid



MICROPHONE CLEANSER (8OZ)
DSA8000

Application: Mic maintenance | **Size:** 8 oz




FOUR-CHANNEL HEADPHONE AMP
HA4000

Application: Recording, audio playback | **Input:** 1/4" TRS Stereo
Maximum Gain: 20 dB per channel | **Outputs:** 1/4" TRS Stereo
Power Supply: 12 V–18 V DC adapter (included)



PROFESSIONAL STUDIO HEADPHONES
WH4500

Application: Home and studio recording | **Style:** Closed back
Frequency Response: 15 Hz–28 kHz | **Driver Size:** 40 mm
Cable Length: 10' (detachable) | **Includes:** Nylon carrying bag





ACCURATE AUDIO HEADPHONES
AA3500

Application: Home and studio recording | **Style:** Closed back
Frequency Response: 20 Hz–20 kHz | **Driver Size:** 40 mm, 32
Cable Length: 6' with 1/8" male connector & 1/4" adaptor



HEADPHONE HANGER
HH7000

Construction: Cast aluminum | **Height:** 11.5"
Thickness: 4 mm | **Base Spread:** 5.8" x 5.8"
Color: Silver



GAFFER TAPE
GT260B

Length: 60 yd (180') | **Width:** 2"
Color: Black



CABLE TIES
CTA6600

Construction: Nylon | **Color:** Black
Cable Tie Quantity: 5



CABLE-MANAGEMENT SYSTEM
CM200

Construction: Aluminum | **Color:** Black
Dimensions: 29" (L) x 4.5" (W) | **Depth of Hooks:** 4"



10" MIXER BAG
MXB3010

Construction: 600D Nylon | **Padding Thickness:** 8 mm
Internal Dimensions: 12" (H) x 10.8" (W) x 3.4" (D)



12" MIXER BAG
MXB3012

Construction: 600D Nylon | **Padding Thickness:** 8 mm
Internal Dimensions: 14.8" (H) x 13" (W) x 4" (D)



16" MIXER BAG
MXB3016

Construction: 600D Nylon | **Padding Thickness:** 8 mm
Internal Dimensions: 17" (H) x 17.7" (W) x 4.3" (D)





WOOD WORKSTATION

WS7500B / Black

Dimensions: 43" (W) x 38" (H) x 23.5" (D)	**Weight Capacity:** 175 lb
Desktop Height: 29"	**Construction:** Wood / steel
Upper Platform Height: 37.5"	**Color:** Black
Keyboard Tray Height: 25"	



WOOD WORKSTATION

WS7500RB / Rosewood

Dimensions: 43" (W) x 38" (H) x 23.5" (D)	**Weight Capacity:** 175 lb
Desktop Height: 29"	**Construction:** Wood / steel
Upper Platform Height: 37.5"	**Color:** Rosewood and black
Keyboard Tray Height: 25"	



WOOD WORKSTATION
WS7500W / White

Dimensions: 43" (W) x 38" (H) x 23.5" (D)
Desktop Height: 29"
Upper Platform Height: 37.5"
Keyboard Tray Height: 25"
Weight Capacity: 175 lb
Construction: Wood / steel
Color: White and black



RACK CABINET
WSR7500B / Black

Dimensions: 30" (L) x 23.8" (W)
Height Adjustment with Feet: 29"–30"
Height with Casters: 30.5"
Includes: 4 casters (2 locking)
Construction: Laminated wood / steel
Color: Black




RACK CABINET
WSR7500RB / Rosewood

Dimensions: 30" (L) x 23.8" (W)
Height Adjustment with Feet: 29"–30"
Height with Casters: 30.5"
Includes: 4 casters (2 locking)
Construction: Laminated wood / steel
Color: Rosewood and black



WORKSTATION CORNER ACCESSORY
WSC7500B / Black

Weight Capacity: 60 lb
Dimensions: 23.8" (W) x 26.8" (D)
Height Adjustment with Feet: 29"–30"
Construction: Laminated wood / steel
Color: Black



WORKSTATION CORNER ACCESSORY

WSC7500B / Rosewood

Weight Capacity: 60 lb

Dimensions: 23.8" (W) x 26.8" (D)

Height Adjustment with Feet: 29"–30"

Construction: Laminated wood / steel

Color: Rosewood and black



LARGE WORKSTATION

WS7700B

Dimensions: 56" (L) x 32" (D) x 38" (H)

Main Work Surface Overall Dimensions: 56" (L) x 26" (D)

Main Work Surface Usable Dimensions: 56" (L) x 17" (D)

Upper Work Surface Dimensions: 53" (L) x 17" (D)

Computer Holder Dimensions: 9.25" (L) x 12" (D) x 28" (H)

Keyboard Tray Dimensions: 27" x 15"

Total Rack Space: 6U shallow (3U on each side)

Rack Width: 19"

Rack Depth: 9.5"

Rack Depth: 9.5"

Construction: MDF / steel

Weight Capacity: 175 lb



AWARD-WINNER

WOOD STUDIO MONITOR STANDS

SMS7500B

Height Adjustment: 35.5"–56.5"

Base Dimensions: 16" x 15"

Construction: Steel / wood

Platform Dimensions: 13.75" x 12.63"

Weight Capacity: 90 lb

Color: Black



AWARD-WINNER

WOOD STUDIO MONITOR STANDS

SMS7500RB

Height Adjustment: 35.5"–56.5"

Base Dimensions: 16" x 15"

Construction: Steel / wood

Platform Dimensions: 13.75" x 12.63"

Weight Capacity: 90 lb

Color: Rosewood



WOOD STUDIO MONITOR STANDS

SMS7500W

Height Adjustment: 35.5"–56.5"

Base Dimensions: 16" x 15"

Construction: Steel / wood

Platform Dimensions: 13.75" x 12.63"

Weight Capacity: 90 lb

Color: White



TWO-SPACE RACK MOUNT
WSA7520

Dimensions: 7.85" (L) x 19" (W) x 5.5" (H)

Includes: (2) 2U Rackmount Brackets, (1) 1U Shallow Rack Shelf, (4) Screws for Pre-Drilled WS7500, (12) Rack Screws.

Construction: Steel | **Color:** Black



FOAM SPEAKER PLATFORMS
ASP3001 / Small

ASP3001 Dimensions: 6.5" (W) x 11.5" (D) x 1.5" (D)

Includes: 2 bases and wedges | **Weight:** 0.15 lb each

Material: Acoustic Foam | **Color:** Black



FOAM SPEAKER PLATFORMS
ASP3011 / Medium

ASP3011 Dimensions: 10.5" (W) x 12.5" (D) x 1.5" (D)

Includes: 2 bases and wedges | **Weight:** 0.25 lb each

Material: Acoustic Foam | **Color:** Black



FOAM SPEAKER PLATFORMS
ASP3021 / Large

ASP3021 Dimensions: 15.25" (W) x 13" (D) x 1.5" (D)

Includes: 2 bases and wedges | **Weight:** 0.3 lb each

Material: Acoustic Foam | **Color:** Black



MOBILE EQUIPMENT STAND
MIX-400V2

Application: Holds mixers, small-to-midsize audio gear, and 1U rack-mount components | **Weight Capacity:** 88 lb

Height Adjustment: 28"–38" | **Base Spread:** 23"

Platform Width Adjustment: 14.5"–21.5" | **Construction:** Steel / plastic

Platform Length Adjustment: 12"–15.5" | **Color:** Black



DELUXE LAPTOP STAND
LPT7000

Platform Dimensions: 15.5" x 11" | **Height Adjustment:** 31"–51"

Pad Dimensions: 11" x 7" | **Angle Adjustment:** 0°–90°

Weight Capacity: 12 lb | **Color:** Black



LAPTOP STAND
LPT5000

Platform Dimensions: 9.25" x 10.8" | **Weight Capacity:** 8 lb

Height Adjustment: 6.3"–10.9" | **Color:** Black



MULTIPURPOSE LAPTOP STAND
LPT6000

Platform Width Adjustment: 9.5"–14.5" (W) | **Platform Depth:** 12"

Height Adjustment: 9.25"–14.25" | **Weight Capacity:** 10 lb

Includes: Clamps for desktop attachment | **Color:** Black



LAPTOP STAND WITH USB HUB
LPT8000

Dimensions: 11.5" (D) x 9.5" (W) x 12" (H) | **Weight:** 3.35 lb

Weight Capacity: 11 lb | **Color:** Black **Includes:** USB charging cable, instructions



PACK OF RACK SCREWS
WSR7025 / 25 Pack

Application: Secures rack-mount gear to a rack

Dimensions: M5, 12 mm | **Head type:** Philips

Construction: Metal | **Color:** Black



SMARTPHONE HOLDER FOR MIC STAND
TCM500

Phone Clamp Opening Adjustment: 2.37"–4"
Mic Stand Clamp Opening Adjustment: 0.75"–1"
Ball Joint Rotation Range: 0°–360°
Color: Black



MOST POPULAR

VIDEO CAMERA / DIGITAL RECORDER ADAPTER
CM01

Application: Mounts camera to mic stand
Male Threading: 1/4"-20
Tilt Angle Adjustment: 180°
Female Threading: 5/8"-27
Pan Adjustment: 360°
Weight: 0.3 lb



CAMERA ADAPTER WITH SHOE MOUNT
CM03

Application: Mounts a photo or video accessory to a camera
Male Threading at Top: 1/4"-20
Ball-Joint Pan Adjustment: 360°
Female Threading at Bottom (with shoe removed): 1/4"–20
Base Plate: Standard shoe mount
Weight Capacity: 3.5 lb



TABLET / SMARTPHONE HOLDER
TCM1500

Dimensions: 9.5" (W) x 3.5" (D)
Height Adjustment: 8"–12"
Clamp Size: Fits tubing 0.75"–1" in diameter
Rotation Adjustment: 0°–360°
Color: Black



U-MOUNT® DESK FLANGE MOUNT
UM5006

Diameter: 2.25"
Shock pad thickness: 3 mm
Threading: 5/8"-27
Includes: 3 mounting screws
Color: Black



POSI-LOCK DESKTOP MIC STAND
DS300B

Base Weight: 3 lb
Color: Black
Boom Length: 7"
Base Diameter: 6"



ACOUSTIC 1" PANEL FOR PROFESSIONAL APPLICATIONS
AP3500

Dimensions: 24" (L) x 24" (W) x 1" (D)
Weight: 2.75 lb panel, 0.65 lb hanger and screws
Included: (2) wall-mount clips, (6) anchor screws
Construction: High density, class-A-fire-rated acoustic fiberglass



LED WASH LIGHT
RGBLED100

Dimensions: 7" x 7"
Modes: Automatic, sound activated, DMX control, leader-follower
Power: 100–240 V 56–60 Hz
DMX Channels: 6
Rated Power: 20 W
LED Colors: Red, green, blue




ISOLATION SHIELD
ASMS3000

Dimensions: 22.8" (W) x 11" (L)
Depth Adjustment: 5"–6" from mic stand
Construction: Acoustic EVA Foam / metal
Includes: 3/8" adapter
Weight: 2.5 lb
Color: Black



ISOLATION SHIELD
ASMS4730

Dimensions: 18.5" (W) x 12" (L) x 2" (D)
Height Adjustment: 0"–5.5" from top of mic stand
Depth Adjustment: 2"–7" from mic stand
Construction: Aluminum / foam
Weight: 4.5 lb
Color: Black / chrome





PROFESSIONAL STUDIO MIC BOOM ARM

MBS7500

Vertical Arm Length: 19.5"
Horizontal Arm Length: 19.5"
Total Reach: 38"
Threading: 5/8"-27
Weight Capacity: 3.5 lb
Color: Black
Mounting Options: C-clamp, screw-down flange mount



BROADCAST MIC BOOM ARM

MBS5000

Vertical Arm Length: 19.5"
Horizontal Arm Length: 19.5"
Total Reach: 38"
Threading: 5/8"-27
Weight Capacity: 3.5 lb
Included: Pre-installed 10' XLR cable
Mounting Options: C-clamp, screw-down flange mount



NEW PRODUCT

LOW-PROFILE BROADCAST BOOM ARM

MBS-LP1

Clamp Opening: 0–2.5"
Lower Shaft Length: 13.5"
Mounting Stem Threading: 5/8"-27
Tubing Outer Dimensions: 1" x 1.14"
Upper Shaft Length: 15.5"
Weight Capacity: 3.5 lb
Includes: Cable-management clips and camera-mount adapter



UTILITY CART TRAY

UCA1500

Application: Mounts to the handles of On-Stage utility carts to create a workstation, table, or shelf
Surface Dimensions: 36" (L) x 17" (W)
Thickness: 1.2 mm
Weight Capacity: 80 lb
Weight: 7.5 lb
Color: Black



UTILITY CART HANDLE BAG

UCB1250

Construction: Heavy-duty nylon
Straps: Hook and loop
Dimensions: 26" (L) x 12" (W) x 6" (D)
Color: Black
For Use With: On-Stage UTC2200 and UTC5500 Utility Carts



UTILITY CART BAG

UCB2500

Construction: Heavy-duty nylon
Straps: Black
Dimensions: 40" (L) x 12" (W) x 20" (H)
Color: Black
For use with: On-Stage UTC2200 and UTC5500 Utility Carts



COMPACT UTILITY CART

UTC1100

Application: Gear transportation
Weight Capacity: 330 lb
Compact Size: 26" (L) x 11.5" (W) x 7" (H)
Extended Size: 38.5" (L) x 11.5" (W) x 31.5" (H)
Front Wheel Size: 3"
Rear Wheel Size: 6"
Weight: 24.3 lb



AWARD-WINNER

UTILITY CART

UTC2200

Application: Gear transportation
Weight Capacity: 485 lb
Compact Size: 18" (W) x 28.5" (L)
Extended Size: 18" (W) x 42.5" (L)
Platform Bed Height: 10.5"
Handle Height: 31"



ALL-TERRAIN UTILITY CART

UTC5500

Application: Gear transportation
Weight: 34.6 lb
Compact Dimensions: 30" (L) x 13.6" (W) x 11.2" (H)
Extended Dimensions: 52" (L) x 13.6" (W) x 37" (H)
Weight Capacity: 550 lb
Front Wheel Size: 8"
Rear Wheel Size: 10"



GUITAR WORKSTATION - ROSEWOOD
GWS5000RB



AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - ROSEWOOD
GWS5000RB

Amp Shelf Dimension (L x W x D): 24.5" x 12.5" x 20.5"

Pedal Board Dimension (L x W x D): 24" x 8" x 3.5"

Top Shelf Dimension (L x W x D): 24.5" x 1.5" x 3"

Weight Capacity: 80 lbs

Cabinet Construction: MDF

Includes: Hook-and-loop strips

Color: Rosewood



AWARD-WINNER
ON-STAGE ORIGINAL

GUITAR WORKSTATION - BLACK
GWS5000B

Amp Shelf Dimension (L x W x D): 24.5" x 12.5" x 20.5"

Pedal Board Dimension (L x W x D): 24" x 8" x 3.5"

Top Shelf Dimension (L x W x D): 24.5" x 1.5" x 3"

Weight Capacity: 80 lb

Cabinet Construction: MDF

Includes: Hook-and-loop strips

Color: Black

GO ON.

On-Stage®



On-Stage® | PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS



ONE-HANDED MIC STAND WITH ROUND BASE

MS9510

Height Adjustment: 43"–69.75"

Footprint Dimension: 10"

Tubing Construction: Steel

Base Type: Round

Threading: 5/8"-27



MIC STAND WITH TRIPOD BASE
MS9700B

Height Adjustment: 36"–64"
Construction: Steel / zinc
Color: Black
Base Spread: 24"
Threading: 5/8"-27



MIC STAND WITH BOOM ARM AND TRIPOD BASE
MS9701B

Height Adjustment: 36"–64"
Threading: 5/8"-27
Construction: Steel / zinc
Base Spread: 24"
Boom Length: 30"
Color: Black



MOST POPULAR

MIC STAND WITH TELESCOPING BOOM ARM AND TRIPOD BASE
MS9701TB


Height Adjustment: 21.5"–36"
Threading: 5/8"-27
Construction: Steel / zinc
Boom Length Adjustment: 19"–30"
Base Spread: 24"
Color: Black



M20 THREADED

MIC STAND WITH 10" BASE
MS9210

Height Adjustment: 36"–65"
Upper Threading: 5/8"-27
Base Threading: M20
Base Diameter: 10"
Base Weight: 6 lb
Color: Black



M20 THREADED

MIC STAND WITH 12" BASE
MS9212

Height Adjustment: 36"–65"
Upper Threading: 5/8"-27
Base Threading: M20
Base Diameter: 12"
Base Weight: 10 lb
Color: Black



M20 THREADED

THREE-SECTION MIC STAND
MS9312

Height Adjustment: 39"–97"
Upper Threading: 5/8"-27
Base Threading: M20
Base Diameter: 12"
Base Weight: 10 lb
Color: Black

PRODUCTION-GRADE
DESIGNED FOR PROFESSIONALS



TELESCOPING MIC BOOM WITH DUAL MIC CAPABILITY

MSA9800

Length Adjustment: 21.5"–36"	**Construction:** Steel
Max Rotation: 320°	**Color:** Black
Threading: 5/8"-27	



M20 THREADED

DRUM / AMP MIC STAND WITH TELESCOPING BOOM ARM AND ROUND BASE

MS9417

Height Adjustment: 17"–28.5"	**Base Diameter:** 10"
Boom Length Adjustment: 21.5"–36"	**Base Weight:** 6 lb
Threading: 5/8"-27	**Color:** Black



KICK DRUM MIC STAND WITH TRIPOD BASE

MS9411TB

Height Adjustment: 15"–24"	**Base Spread:** 19"
Boom Length Adjustment: 19"–33"	**Color:** Black





10' LIGHTING / SPEAKER STAND
LS-SS7770

Height Adjustment: 44"–120"
Base Spread: 38"–58"
Reversible Speaker Pole Diameter: 1.375" or 1.5"
Weight Capacity: 140 lb
Construction: Steel / aluminum
Color: Black



SPEAKER / LIGHTING STAND
SS8000

Height Adjustment: 55.51"–98.42"
Weight: 36 lb
Base Dimensions: 22.33" x 22.33"
Weight Capacity: 65 lb
Feet Height Adjustment: 0.25"
Base Threading: M20
Material: Steel
Color: Black
Includes: 38 mm speaker adapter



NEW PRODUCT

AIRLIFT SPEAKER POLE
SS7748

Length Adjustment: 36.5"–60"
Speaker Pole Diameter: 1.375"
Weight Capacity: 100 lb
Construction: Steel
Color: Black



NEW PRODUCT

SNAKE BOX (W/ FEMALE ENDS)
SNK4BF

Inputs and Outputs: (4) XLR, (1) RJ45
Weight: 1.19 lb
Dimensions: 8.27" (L) x 2.76" (W) x 3.43" (H)



NEW PRODUCT

SNAKE CABLE (WITH FEMALE ENDS)
SNK4CF

Cable Length: 29.56"
Weight: 0.65 lb
Inputs and Outputs: (4) XLR, (1) RJ45
Wire Gauge: 26 AWG



FLAT PATCH CABLES (3 PACK)
FPC-3

Application: Connects effects pedals
Cable Type: QTR-QTR
Connectors: Gold-plated, 1/4 right angle
Wire Gauge: 26 AWG
Outer Jacket Diameter: 2.55 mm x 5.5 mm
Wire: Copper
Cable Quantity: 3



NEW PRODUCT

SNAKE BOX (W/ MALE ENDS)
SNK4BM

Inputs and Outputs: (4) XLR, (1) RJ45
Weight: 1.19 lb
Dimensions: 8.27" (L) x 2.76" (W) x 3.43" (H)



NEW PRODUCT

SNAKE CABLE (WITH MALE ENDS)
SNK4CM

Cable Length: 29.56"
Weight: 0.65 lb
Inputs and Outputs: (4) XLR, (1) RJ45
Wire Gauge: 26 AWG



FLAT PATCH CABLES (60 PCS)
FPC-60 -POP

Application: Connects effects pedals
Cable Type: QTR-QTR
Connectors: Gold-plated, 1/4 right angle
Wire Gauge: 26 AWG
Outer Jacket Diameter: 2.55 mm x 5.5 mm
Wire: Copper
Cable Quantity: 60



BRAIDED INSTRUMENT CABLES (RIGHT-STRAIGHT)

IC-10 / Right Angle QTR–QTR 10'
IC-15 / Right Angle QTR–QTR 15'
IC-25 / Right Angle QTR–QTR 25'

Wire Gauge: 24 AWG **Outer Diameter:** 8.6 mm

Connection Type: Gold-plated, right angle 1/4" to straight 1/4"

Construction: Oxygen-free copper, braided shielding

Shielding: Double-shielded (copper-braided and semiconductor shielding)



BRAIDED INSTRUMENT CABLES (STRAIGHT-STRAIGHT)

IC-10 / QTR–QTR 10'
IC-15 / QTR–QTR 15'
IC-25 / QTR–QTR 25'

Wire Gauge: 24 AWG **Outer Diameter:** 8.6 mm

Connection Type: Gold-plated, straight 1/4" to straight 1/4"

Construction: Oxygen-free copper, braided shielding

Shielding: Double-shielded (copper-braided and semiconductor shielding)



MIC CABLES

MC-3 / XLR–XLR 3'
MC-10 / XLR–XLR 10'
MC-20 / XLR–XLR 20'
MC-50 / XLR–XLR 50'
MC-6 / XLR–XLR 6'
MC-15 / XLR–XLR 15'
MC-25 / XLR–XLR 25'

Wire Gauge: 24 AWG **Outer Diameter:** 6.8 mm

Connection Type: XLR to XLR connector

Construction: Oxygen-free copper, spiral shielding

Shielding: Spiral and semiconductor



Lifestyle photo by Pavel Danilyuk from pexels.com



NEW PRODUCT

ACOUSTIC GUITAR GIG BAG (GREEN)

GBAADV4770BK

Internal Length: 41"
Padding Thickness: 0.79"
Internal Depth: 5.25"
Exterior Construction: 600D nylon



NEW PRODUCT

BASS GUITAR GIG BAG (GREEN)

GBBADV4770BK

Internal Length: 47.5"
Padding Thickness: 0.79"
Internal Depth: 2"
Exterior Construction: 600D nylon



NEW PRODUCT

ELECTRIC GUITAR GIG BAG (GREEN)

GBEADV4770BK

Internal Length: 40"
Padding Thickness: 0.79"
Internal Depth: 2.5"
Exterior Construction: 600D nylon



NEW PRODUCT

ACOUSTIC GUITAR GIG BAG (BLACK)

GBAADV4770BK

Internal Length: 41"
Padding Thickness: 0.79"
Internal Depth: 5.25"
Exterior Construction: 600D nylon



NEW PRODUCT

BASS GUITAR GIG BAG (BLACK)

GBBADV4770BK

Internal Length: 47.5"
Padding Thickness: 0.79"
Internal Depth: 2"
Exterior Construction: 600D nylon




NEW PRODUCT

ELECTRIC GUITAR GIG BAG (BLACK)

GBEADV4770BK

Internal Length: 40"
Padding Thickness: 0.79"
Internal Depth: 2.5"
Exterior Construction: 600D nylon





NEW PRODUCT

WAVE BEAD DRUM

WBD5016

Diameter: 16"

Construction: Beechwood / goatskin / PET / steel / plastic



NEW PRODUCT

OCARINA

OC500

Key: C

Number of Tone Holes: 12

Construction: Plastic

Includes: Carry case



NEW PRODUCT

STEEL TONGUE DRUM

SD0510

Diameter: 10"

Construction: Carbon steel

Scale: C major pentatonic

Keys / Notes: 8

Includes: Rubber-tipped mallets, rubber-tipped finger, sleeves, carry bag, adhesive key labels